

LK Armatur Price List



2025

Table of Contents

LOADING UNITS

LK 810 ThermoMat 2.0	5
LK 811 ThermoMat 2.0 W	7
LK 815 ThermoKit T Eco.....	8
LK 816 ThermoKit E Eco.....	9

PUMP GROUP

LK HydronicGroup C/C 125	10
LK HydronicGroup C/C 90	14
LK HydronicGroup C/C 125 Cooling.....	15
LK HydronicGroup CC 90 Cooling	17

TAP WATER UNIT

LK 250 TapWater Unit	18
----------------------------	----

SOLAR PUMP UNITS

LK 212 SolarStation	19
LK 212 SolarStation S	21
LK 211 SolarStation S	22

THERMIC VALVES AND CHECK VALVES

LK 820 ThermoVar®	24
LK 821 ThermoVar®	25
LK 823 ThermoVar®	26
LK 823 ThermoVar® R.....	27

MIXING VALVES

LK 525 MultiZone 3R.....	29
LK 830 ThermoMix® B	30
LK 840 ThermoMix® 2.0.....	31
LK 841 ThermoMix® 2.0.....	33
LK 842 ThermoMix® P	34
LK 850 ThermoMix® H	35
LK 851 ThermoMix® H	35

TEMPERATURE CONTROLLERS

LK SmartComfort	36
-----------------------	----

VALVE ACTUATORS

LK 941 EasyMix	38
LK 950 Valve Actuator	38

MOUNTING KITS

DIFFERENTIAL TEMPERATURE CONTROLLERS

LK 150 SmartSol.....	40
LK 160 SmartBio®.....	40
LK 162 SmartStove	41

ZONE VALVES

LK 525 MultiZone 2W	42
LK 525 MultiZone 3R.....	44
LK 525 MultiZone 3W	45
LK 527 MultiZone 2W	47
LK 527 MultiZone 3W	48

FILLING VALVES

LK 321 MultiFill®	49
LK 521 MultiFill®	49
LK 534 ThermoFill EA.....	50
LK 538 ThermoFill EA.....	51
LK 539 ThermoFill EA.....	51

VALVES FOR WATER HEATING

LK 510 / 511 / 512 MultiSafe	52
LK 514 MultiSafe.....	53
LK 548 AquaKit	54
LK 550 AquaMix	54
LK 551 HydroMix	55
LK 551 HydroMix F.....	57
LK 551 HydroKit Solar.....	57
LK 551 HydroKit HWC	58
LK 551 HWC CirculationKit	59
LK 552 HydroMix	60

PRODUCTS FOR UNDERFLOOR HEATING

LK 419 ManifoldShunt	61
LK 420 MiniShunt 2.0.....	61
LK 421 Manifold Shunt.....	62
LK 422 Manifold Shunt Tmax	62
LK 423 MiniLoop RTC.....	63
LK 430 Manifold	64
LK 435 OptiFlow	65
LK 440 EasyHeat	65
LK 460 EasyHeat P.....	66
LK 460 EasyHeat M	67

OTHER PRODUCTS

LK 315 BallValve	68
LK 322 CoolUnit	69
LK 360 NetMag.....	69
LK 519 ThermoSafe	70
LK 522 FilterBall	71
LK 522 FilterBall Magnet	72
LK 556 AntiFreeze	74
LK 700/705 AeroMat	75
LK 770 AeroSafe.....	76
LK 924 / 925 SafetyGroup	76
LK 994 SafetyGroup	78
LK MultiConnection	78
Transition Fittings	80
Prefabricated pipes	81

We reserve the right for printing errors and to make changes and corrections at any time, without notice. The current catalogue and documentation can be found at www.lkarmatur.com.



Explanation of the letters A, B and C in the article column:

A-articles: Stocked item that is available for immediate delivery *.

B-articles: Delivered from us within 20 working days *.

C-articles: Delivery time according to agreement.

* We reserve the right for any final sale.

Loading units

LK 810 ThermoMat 2.0

LK 810 2.0 Grundfos - Compression fitting



Article no.	Type	Return temp.	Dim.	Weight kg	Package	Price (GBP)	ABC
181644	with check valve	55 °C	28 mm	4.0	1/4/72	846.93	B
181650	with check valve	60 °C	28 mm	4.0	1/4/72	837.11	B

Other temperatures and dimensions on request.

LK 810 2.0 Grundfos - Female thread



Article no.	Type	Return temp.	Dim.	Weight kg	Package	Price (GBP)	ABC
181640	with check valve	55 °C	F 1"	4.0	1/4/72	827.04	B
181642	with check valve	55 °C	F 1¼"	4.0	1/4/72	835.57	B
181646	with check valve	60 °C	F 1"	4.0	1/4/72	823.57	A
181648	with check valve	60 °C	F 1¼"	4.0	1/4/72	829.57	A
181651	without check valve	65 °C	F 1"	4.0	1/4/72	837.76	B
181652	with check valve	65 °C	F 1"	4.0	1/4/72	838.71	B
181654	with check valve	65 °C	F 1¼"	4.0	1/4/72	847.24	B
181658	with check valve	70 °C	F 1"	4.0	1/4/72	833.49	B
181660	with check valve	70 °C	F 1¼"	4.0	1/4/72	832.49	B

Other temperatures and dimensions on request.

LK 810 2.0 Grundfos - Female thread



Article no.	Type	Return temp.	Dim.	Weight kg	Package	Price (GBP)	ABC
181839	with check valve	55 °C	F 1"	4.0	1/4/72	898.74	B
181840	without check valve	55 °C	F 1"	4.0	1/4/72	902.61	B
181825	with check valve	60 °C	F 1"	4.0	1/4/72	902.06	B
181841	without check valve	60 °C	F 1"	4.0	1/4/72	902.32	B
181827	with check valve	65 °C	F 1"	4.0	1/4/72	904.48	B
181842	without check valve	65 °C	F 1"	4.0	1/4/72	904.74	B
181829	with check valve	70 °C	F 1"	4.0	1/4/72	895.66	B
181843	without check valve	70 °C	F 1"	4.0	1/4/72	899.53	B
182352	with check valve	55 °C	F 1¼"	4.0	1/4/72	1009.65	B
182353	without check valve	55 °C	F 1¼"	4.0	1/4/72	1008.71	B
182354	with check valve	60 °C	F 1¼"	4.0	1/4/72	1023.28	B
182355	without check valve	60 °C	F 1¼"	4.0	1/4/72	1008.41	B
182356	with check valve	65 °C	F 1¼"	4.0	1/4/72	1014.54	B
182357	without check valve	65 °C	F 1¼"	4.0	1/4/72	1010.83	B
182358	with check valve	70 °C	F 1¼"	4.0	1/4/72	1005.72	B
182359	without check valve	70 °C	F 1¼"	4.0	1/4/72	1005.62	B

LK 810 2.0 Wilo - Female thread



Article no.	Type	Return temp.	Dim.	Weight kg	Package	Price (GBP)	ABC
181664	with check valve	55 °C	F 1"	4.0	1/4/72	808.05	B
181669	without check valve	60 °C	F 1"	4.0	1/4/72	773.42	A


Other temperatures and dimensions on request.

LK 810 2.0 Wilo - Female thread



Article no.	Type	Return temp.	Dim.	Weight kg	Package	Price (GBP)	ABC
181844	with check valve	55 °C	F 1"	4.0	1/4/72	851.75	B
181848	without check valve	55 °C	F 1"	4.0	1/4/72	850.80	B
181845	with check valve	60 °C	F 1"	4.0	1/4/72	850.85	B
181849	without check valve	60 °C	F 1"	4.0	1/4/72	850.51	B
181846	with check valve	65 °C	F 1"	4.0	1/4/72	853.87	B
181850	without check valve	65 °C	F 1"	4.0	1/4/72	852.93	B
181847	with check valve	70 °C	F 1"	4.0	1/4/72	848.66	B
181851	without check valve	70 °C	F 1"	4.0	1/4/72	847.72	B
182360	with check valve	55 °C	F 1¼"	4.0	1/4/72	961.21	B
182361	without check valve	55 °C	F 1¼"	4.0	1/4/72	961.11	B
182362	with check valve	60 °C	F 1¼"	4.0	1/4/72	961.76	B
182363	without check valve	60 °C	F 1¼"	4.0	1/4/72	960.81	B
182364	with check valve	65 °C	F 1¼"	4.0	1/4/72	963.34	B
182365	without check valve	65 °C	F 1¼"	4.0	1/4/72	963.24	B
182366	with check valve	70 °C	F 1¼"	4.0	1/4/72	958.97	B
182367	without check valve	70 °C	F 1¼"	4.0	1/4/72	958.03	B

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
187168	Grundfos UPM3 Auto xx-70	1	1	402.46	A
187347	Wilo Para */8 SC FS14	1	1	382.94	A
187163	Thermostatic element 55 °C	2	1	26.63	A
187164	Thermostatic element 60 °C	2	1	26.36	A
187165	Thermostatic element 65 °C	2	1	28.87	A
187166	Thermostatic element 70 °C	2	1	23.66	A
055577	Ball valve F 1" with handles	3	1	49.63	C
187329	Ball valve F 1¼" with handles	3	1	98.76	A
187017	Ball valve F 1"	4	1	37.77	A
187018	Ball valve F 1¼"	5	1	40.06	A
187019	Ball valve 28 mm	6	1	43.24	B
013057	Sealing EPDM 44x32x2 mm	7	1	1.74	C
187021	Check valve 810 / 811	8	1	11.42	A
187022	Plug 810 / 811	9	1	8.21	A
187167	EPP Insulation	10	1	23.59	A
180352	Thermometer 120 °C	11	1	10.79	A

Loading units

LK 811 ThermoMat 2.0 W

LK 811 - Female thread




Article no.	Type	Dim.	Weight kg	Package	Price (GBP)	ABC
182772	without check valve	F 1"	4.2	1/4	886.52	B
182770	without check valve	F 1 1/4"	4.2	1/4	892.02	B

LK 811 - Female thread - with LK 100 SmartComfort CT



Article no.	Type	Dim.	Weight kg	Package	Price (GBP)	ABC
182779	without check valve + CT 100	F 1"	4.2	1/4	1 390.33	B
182780	without check valve + CT 100	F 1 1/4"	4.2	1/4	1 395.83	B

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
187347	Wilo Para */8 SC FS14	1	1	382.94	A
187960	Wilo Para */6 SC FS14	1	1	401.83	A
095443	Cable Wilo Para 200 mm + Connector	2	1	32.46	A
095220	Connector	3	1	12.41	A
187110	Repair kit 811	4	1	42.46	A
187066	Sealing kit 811/840/841, DN 15-20	5	1	10.91	A
013025	Gasket EPDM 1 1/2" - Ø44 x Ø27 x 2 mm	6	1	0.51	A
187021	Check valve 810 / 811	7	1	11.42	A
187022	Plug 810 / 811	8	1	8.21	A
187018	Ball valve F 1 1/4"	9	1	40.06	A
187019	Ball valve 28 mm	10	1	43.24	B
187017	Ball valve F 1"	11	1	37.77	A
187351	EPP Insulation, 811	12	1	35.55	A
058126	Thermometer 120 °C	13	1	10.02	C

Loading units

LK 815 ThermoKit T

LK 815 - Grundfos UPML 25-95 - Female thread



Article no.	Return temp.	Dim.	Weight kg	Package	Price (GBP)	ABC
181572	45 °C	F 1½"	7.1	1	1325.42	B
181573	50 °C	F 1½"	7.1	1	1321.73	B
181574	55 °C	F 1½"	7.1	1	1313.41	B
181575	60 °C	F 1½"	7.1	1	1368.37	B
181576	65 °C	F 1½"	7.1	1	1387.34	B
181577	70 °C	F 1½"	7.1	1	1383.59	B

LK 815 - Grundfos UPML 25-95 - Female thread



Article no.	Return temp.	Dim.	Weight kg	Package	Price (GBP)	ABC
182390	45 °C	F 1¼"	7.1	1	1357.52	B
182391	50 °C	F 1¼"	7.1	1	1353.82	B
182392	55 °C	F 1¼"	7.1	1	1344.93	B
182393	60 °C	F 1¼"	7.1	1	1347.21	B
182394	65 °C	F 1¼"	7.1	1	1356.34	B
182395	70 °C	F 1¼"	7.1	1	1348.37	B

Loading units

LK 816 ThermoKit E

LK 816 - Grundfos UPML 25-95 - Female thread



Article no.	Dim.	Note	Weight kg	Package	Price (GBP)	ABC
181578	F 1½"	Adapter - EU	7.1	1	1778.93	B
181579	F 1½"	Adapter - UK	7.1	1	1816.66	B

LK 816 - Grundfos UPML 25-95 - Female thread



Article no.	Dim.	Note	Weight kg	Package	Price (GBP)	ABC
182396	F 1¼"	Adapter - EU	7.1	1	1759.92	B
182397	F 1¼"	Adapter - UK	7.1	1	1766.30	B

LK 816 - Grundfos UPMXL 32-105 - Female thread



Article no.	Dim.	Note	Weight kg	Package	Price (GBP)	ABC
181580	F 2"	Adapter - EU	11.1	1	2111.65	B
181581	F 2"	Adapter - UK	11.1	1	2121.09	B

LK 816 - Grundfos Magna 32-80 - Female thread



Article no.	Dim.	Note	Weight kg	Package	Price (GBP)	ABC
181410	F 2"	Adapter - EU	12.4	1	2416.63	B

Pump Groups

LK HydronicGroup C/C 125

LK 860 - Manifold



Article no.	Type	Dim.	Note	Weight kg	Package	Price (GBP)	ABC
182419	Manifold, 1 pc groups with hydraulic separator	M 1½"	0.4 MPa (4 bar)	5.0	1	564.11	B
182348	Manifold, 2 pc groups, without hydraulic separator	M 1½"	0.4 MPa (4 bar)	6.0	1	650.00	A
182350	Manifold, 2 pc groups with hydraulic separator	M 1½"	0.4 MPa (4 bar)	7.0	1	1054.48	B
182349	Manifold, 3 pc groups, without hydraulic separator	M 1½"	0.4 MPa (4 bar)	8.0	1	773.93	B
182351	Manifold, 3 pc groups, with hydraulic separator	M 1½"	0.4 MPa (4 bar)	9.0	1	1388.06	B
182417	Manifold, 4 pc groups, without hydraulic separator	M 1½"	0.4 MPa (4 bar)	9.0	1	914.54	B
182418	Manifold, 4 pc groups, with hydraulic separator	M 1½"	0.4 MPa (4 bar)	10.0	1	1581.40	B

LK 861 - Pump group with direct supply



Article no.	Dim.	DN	Weight kg	Package	Price (GBP)	ABC
299458	M 1½" / F 1" x M 1½"	DN 25	5.0	1	806.05	A
299459	M 1½" / F 1" x M 1½"	DN 32	5.2	1	816.56	B

LK 861 - Pump group with direct supply. Without pump



Article no.	Dim.	Weight kg	Package	Price (GBP)	ABC
299460	M 1½" / F 1" x M 1½"	3.1	1	433.19	A

LK 862 R - Pump group with mixed supply. Right version



Article no.	Dim.	DN	Kvs m³/h	Note	Weight kg	Package	Price (GBP)	ABC
299462	M 1½" / F 1" x M 1½"	DN 25	6,3		5.3	1	907.11	A
299464	M 1½" / F 1" x M 1½"	DN 32	10,0		5.5	1	908.69	A
396164	M 1½" / F 1" x M 1½"	DN 25	6,3	LK 950 (180759)	5.8	1	1 082.97	B
396165	M 1½" / F 1" x M 1½"	DN 32		LK 950 (180759)	6.0	1	1 080.56	B

LK 862 L - Pump group with mixed supply. Left version



Article no.	Dim.	DN	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
299461	M 1½" / F 1" x M 1½"	DN 25	6,3	5.3	1	911.68	A
299463	M 1½" / F 1" x M 1½"	DN 32	10,0	5.5	1	908.69	B

LK 862 - Pump group with mixed supply. Without pump



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
299465	M 1½" / F 1" x M 1½"	6,3	3.1	1	533.64	A
299466	M 1½" / F 1" x M 1½"	10,0	3.1	1	526.78	A

LK 863 - Pump group with thermic mixing valve



Article no.	Dim.	DN	Note	Weight kg	Package	Price (GBP)	ABC
299467	M 1½" / F 1" x M 1½"	DN 25	Temperature: 25 - 45 °C	5.8	1	1008.32	A
299468	M 1½" / F 1" x M 1½"	DN 32	Temperature: 25 - 45 °C	6.0	1	1016.90	A
396243	M 1½" / F 1" x M 1½"	DN 32	Temperature: 50 - 70 °C	6.0	1	1016.90	A

LK 863 - Pump group with thermic mixing valve. Without pump



Article no.	Dim.	Note	Weight kg	Package	Price (GBP)	ABC
299469	M 1½" / F 1" x M 1½"	Temperature: 25 - 45 °C	4.0	1	629.95	A

LK 864 - Pump group with thermic loading valve, LK 823 ThermoVar®



Article no.	Dim.	DN	Kvs m³/h	Note	Weight kg	Package	Price (GBP)	ABC
299470	M 1½" / F 1" x M 1½"	DN 25	9,0	Opening temperature: 55 - 70 °C	5.7	1	1003.04	B
299471	M 1½" / F 1" x M 1½"	DN 32	9,0	Opening temperature: 55 - 70 °C	5.9	1	1011.62	A
299787	M 1½" / F 1" x M 1½"	DN 25	9,0	Opening temperature: 45 - 60 °C	5.7	1	1022.11	A
299788	M 1½" / F 1" x M 1½"	DN 32	9,0	Opening temperature: 45 - 60 °C	5.9	1	1030.69	B

LK 864 - Pump group with thermic loading valve, LK 823 ThermoVar®. Without pump



Article no.	Dim.	DN	Kvs m³/h	Note	Weight kg	Package	Price (GBP)	ABC
299962	M 1½" / F 1" x M 1½"	DN 25	9,0	Opening temperature: 55 - 70 °C	3.5	1	627.89	A

LK 865 - Complete unit for hot water circulation



Article no.	Dim.	Note	Weight kg	Package	Price (GBP)	ABC
299472	F 1" x M 1"	Opening temperature: 35 - 65 °C	4.9	1	1220.48	A

LK 865 - Complete unit for hot water circulation. Without pump



Article no.	Dim.	Note	Weight kg	Package	Price (GBP)	ABC
299963	F 1" x M 1"	Opening temperature: 35 - 65 °C	2.7	1	689.30	B

LK 866 - Pump group with a four way mixing valve, LK 841 ThermoMix®



Article no.	Dim.	DN	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
299747	M 1½" / F 1" x M 1"	DN 25	6,3	5.3	1	918.14	A

LK 866 - Pump group with a four way mixing valve, LK 841 ThermoMix®. Without pump



Article no.	Dim.	DN	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
299964	M 1½" / F 1" x M 1"	DN 25	6,3	3.1	1	535.16	B

LK 867 - Pump group with a four way mixing valve, LK 830 ThermoMix® B




Article no.	Dim.	DN	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
299765	M 1½" / F 1" x M 1"	DN 25	6,3	5.3	1	965.69	B

LK 867 - Pump group with a four way mixing valve, LK 830 ThermoMix® B. Without pump



Article no.	Dim.	DN	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
299965	M 1½" / F 1" x M 1"	DN 25	6,3	3.1	1	575.34	B

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
187203	Wilo PARA 25-180/8-75/SC	1	1	379.29	A
187322	Wilo PARA 25-180/6-43/SC	1	1	381.38	A
187227	Wilo PARA 15-130/8-75/SC-9	1	1	376.21	A
187323	Ballvalve, blue	2	1	96.56	A
187324	Ballvalve, red	2	1	96.56	A
187325	Bracket	3	1	26.07	A
187326	EPP Insulation	4	1	51.57	A
182766	LK 840 ThermoMix HG Kvs 6,3	5	1	111.58	B
182767	LK 840 ThermoMix HG Kvs 10	5	1	99.87	B
181949	LK 840 Mixing Valve (866), Kvs 6.3	5	1	71.27	B
180588	LK 830 Mixing Valve (867), Kvs 6.3	5	1	111.73	A
187188	Sealing kit LK 840/841 DN 25	6	1	13.36	A
187191	Repair kit 840 DN 25	7	1	39.31	A
187195	Repair kit 841 2.0, DN 25	7	1	31.96	A
187062	Repair kit 830, DN 15-20, Kvs 6.3	7	1	45.56	A
095349	Repair kit 551, 25 - 45 °C, Kvs 3.2-4.2	8	1	44.18	A
095350	Repair kit 551, 35 - 65 °C, Kvs 3.2-4.2	8	1	62.63	A
187330	Repair Kit 823R	9	1	38.94	A
182431	LK 551 (863), 25 - 45 °C	10	1	177.21	A
182389	LK 823R (864), 55 - 70 °C	11	1	197.46	B
182447	LK 823R (864), 45 - 60 °C	11	1	206.89	A

Pump Groups

LK HydronicGroup C/C 90

LK 860 - Manifold



Article no.	Type	Dim.	Note	Weight kg	Package	Price (GBP)	ABC
182125	Manifold 2 pc groups	F 1" x M 1"	0.3 MPa (3 Bar)	3.3	1	339.34	B
182126	Manifold 3 pc groups	M 1" x F 1"	0.3 MPa (3 Bar)	4.5	1	425.13	B

LK 861 - Pump group with direct supply



Article no.	Type	Dim.	Weight kg	Package	Price (GBP)	ABC
299172	Wilo PARA 15-130/8-75/SC-9	F 1" x M 1"	3.7	1	698.35	A
299174	Taco ES2C 15-70-130	F 1" x M 1"	3.7	1	614.47	B

LK 861 - Pump Group with direct supply. Without pump



Article no.	Dim.	Weight kg	Package	Price (GBP)	ABC
299842	F 1" x M 1"	1.7	1	293.96	B

LK 862 R - Pump group with mixed supply. Right version




Article no.	Type	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
299171	Wilo PARA 15-130/8-75/SC-9	F 1" x M 1"	6,3 / 10,0	4.0	1	798.68	A
299173	Taco ES2C 15-70-130	F 1" x M 1"	6,3 / 10,0	4.0	1	764.28	B

LK 862 R - Pump group with mixed supply. Without pump



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
299841	F 1" x M 1"	6,3 / 10,0	2.0	1	417.03	B

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
187227	Wilo PARA 15-130/8-75/SC-9	1	1	376.26	A
187228	Taco ES2C 15-70-130	1	1	328.85	A
187229	Bracket	2	1	93.86	A
187230	EPP Insulation	3	1	47.35	A
187231	Ballvalve, LK 316 F1" / F1"	4	1	53.87	A
095018	Thermometer T40, 0 - 80 °C	5	1	11.95	A
182765	LK 850 ThermoMix HG Kvs 6,3/10	6	1	111.34	B
187190	Repair kit LK 840 DN 15-20	7	1	32.24	A
092366	LK 322 CoolUnit	8	1	170.93	A

Pump Groups

LK HydronicGroup C/C 125 Cooling

LK 860 - Manifold - Cataphoresis treated



Article no.	Type	Dim.	Note	Weight kg	Package	Price (GBP)	ABC
50802085	Manifold, 1 pc groups with hydraulic separator	M 1½"	0.4 MPa (4 bar)	2.5	1	POA	D
50802086	Manifold, 2 pc groups, without hydraulic separator	M 1½"	0.4 MPa (4 bar)	6.0	1	POA	D
50802087	Manifold, 2 pc groups with hydraulic separator	M 1½"	0.4 MPa (4 bar)	7.0	1	POA	D
50802088	Manifold, 3 pc groups, without hydraulic separator	M 1½"	0.4 MPa (4 bar)	8.0	1	POA	D
50802089	Manifold, 3 pc groups, with hydraulic separator	M 1½"	0.4 MPa (4 bar)	9.0	1	POA	D
50802090	Manifold, 4 pc groups, without hydraulic separator	M 1½"	0.4 MPa (4 bar)	9.0	1	POA	D
50802091	Manifold, 4 pc groups, with hydraulic separator	M 1½"	0.4 MPa (4 bar)	10.0	1	POA	D

LK 861 Cooling - Pump group with direct supply



Article no.	Dim.	DN	Note	Weight kg	Package	Price (GBP)	ABC
396427	M 1½" / F 1" x M 1½"	DN 25	Wilo Para 25-180/6	5.1	1	801.73	B
396428	M 1½" / F 1" x M 1½"	DN 32	Wilo Para 25-180/8	5.3	1	812.42	B

LK 861 Cooling - Pump group with direct supply. Without pump



Article no.	Dim.	Weight kg	Package	Price (GBP)	ABC
396200	M 1½" / F 1" x M 1½"	3.3	1	428.99	B

LK 862 Cooling - Pump group with mixed supply. Right version



Article no.	Dim.	DN	Kvs m³/h	Note	Weight kg	Package	Price (GBP)	ABC
396425	M 1½" / F 1" x M 1½"	DN 25	6,3	Wilo Para 25-180/6	5.8	1	906.40	B
396426	M 1½" / F 1" x M 1½"	DN 32	10,0	Wilo Para 25-180/8	5.8	1	905.13	B

LK 862 Cooling - Pump group with mixed supply. Without pump




Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
396199	M 1½" / F 1" x M 1½"	6,3	4.0	1	532.69	B
396424	M 1½" / F 1" x M 1½"	10,0	4.0	1	523.90	B

LK 862 Cooling - Pump group with mixed supply. With LK 950 Valve Actuator



Article no.	Dim.	DN	Kvs m³/h	Note	Weight kg	Package	Price (GBP)	ABC
396465	M 1½" / F 1" x M 1½"	DN 25	6,3	180756 LK 950 Actuator	6.2	1	1 102.72	B
396466	M 1½" / F 1" x M 1½"	DN 25	6,3	180756 LK 950 Actuator	6.2	1	1 101.44	B

Spare parts and Accessories



Article no.	Article	Position	Package	Price (EUR)	ABC
187322	Wilo PARA 25-180/6-43/SC	1	1	381.38	A
187203	Wilo PARA 25-180/8-75/SC	1	1	379.29	A
187323	Ballvalve, blue	2	1	96.56	A
187324	Ballvalve, red	2	1	96.56	A
187188	Sealing kit LK 840/841 DN 25	3	1	13.36	A
095515	Connection kit	4	1	81.79	A
092366	LK 322 CoolUnit	5	1	170.93	A
181242	LK 100 SmartComfort CT	6	1	510.77	A
180765	LK 950 Valve Actuator	7	1	287.73	A
182766	LK 840 ThermoMix HG Kvs 6,3	8	1	111.58	B
182767	LK 840 ThermoMix HG Kvs 10	8	1	99.87	B
187963	LK Insulation	9	1	101.15	A

Pump Groups


LK HydronicGroup C/C 90 Cooling

LK 862 Cooling - Pump group with mixed supply. Right version



Article no.	Dim.	Kvs m³/h	Note	Weight kg	Package	Price (GBP)	ABC
299387	F 1" x M 1"	6,3 /10,0	Wilo PARA 15-130/8-75/SC-9	4.0	1	836.23	B

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
187227	Wilo PARA 15-130/8-75/SC-9	1	1	376.26	A
187228	Taco ES2C 15-70-130	1	1	328.85	A
187229	Bracket	2	1	93.86	A
187230	EPP Insulation	3	1	47.35	A
187231	Ballvalve, LK 316 F1" / F1"	4	1	53.87	A
095018	Thermometer T40, 0 - 80 °C	5	1	11.95	A
182765	LK 850 ThermoMix HG Kvs 6,3/10	6	1	111.34	B
187190	Repair kit LK 840 DN 15-20	7	1	35.24	A
092366	LK 322 CoolUnit	8	1	170.93	A

Tap Water Unit

LK 250 TapWater Unit

LK 250 P - Female thread



Article no.	Dim.	Weight kg	Package	Price (GBP)	ABC
396003	F 1"	12.4	1	2673.46	B

LK 250 P - Female thread - with anti-limestone coated heat exchanger



Article no.	Dim.	Note	Weight kg	Package	Price (GBP)	ABC
396008	F 1"	With anti-limestone coated heat exchanger	12.4	1	3449.44	B

LK 250 - Female thread - without controller



Article no.	Dim.	Note	Weight kg	Package	Price (GBP)	ABC
396001	F 1"	Without controller	12,0	1	2052.22	B

LK 250 - Female thread - without pump and controller



Article no.	Dim.	Note	Weight kg	Package	Price (GBP)	ABC
396002	F 1"	Without pump and controller	11.0	1	1684.32	B

LK 250 - Female thread - without controller, with anti-limestone coated heat exchanger



Article no.	Dim.	Note	Weight kg	Package	Price (GBP)	ABC
396006	F 1"	Without controller, with anti-limestone coated heat exchanger	12.0	1	2828.21	B

LK 250 - Female - without pump and controller, with anti-limestone coated heat exchanger



Article no.	Dim.	Note	Weight kg	Package	Price (GBP)	ABC
396007	F 1"	Without pump and controller, with anti-limestone coated heat exchanger	11,0	1	2460.13	B

Spare parts and Accessories

1.	2.	3.	Article no.	Article	Position	Package	Price (GBP)	ABC
			092360	Hot water circulation kit	1	1	1327.52	B
			182742	Controller, LK TapWater	2	1	619.88	B
			095472	Wilo PARA IPWM1 15-130/8	3	1	370.71	B
4.	5.	6.	187227	Wilo PARA 15-130/8-75/SC-9	4	1	376.21	A
			095476	EPP Insulation	5	1	113.81	B
			095480	Flow sensor P	6	1	223.08	B
			095481	Flow sensor	7	1	175.18	B
7.	8.		182199	LK 551 HydroMix	8	1	160.94	A
								

Solar Pump Units

LK 212 SolarStation

LK 212 - Female / male thread - without pump and controller



Article no.	Dim.	Flow range	Note	Weight kg	Package	Price (GBP)	ABC
299999	F 3/4" / M 1"	2-12 l/min.	Without pump and controller	3.6	1	738.63	B

LK 212 - Female / male thread - without controller



Article no.	Dim.	Flow range	Note	Weight kg	Package	Price (GBP)	ABC
299998	F 3/4" / M 1"	2-12 l/min.	With Grundfos pump, without controller	5.6	1	1217.64	B
396039	F 3/4" / M 1"	2-12 l/min.	With Wilo pump, without controller	5.6	1	1191.01	B

LK 212 - Female / male thread - with LK 152 SmartSolar SLL



Article no.	Dim.	Flow range	Note	Weight kg	Package	Price (GBP)	ABC
396000	F ¾" / M 1"	2-12 l/min.	With LK 152 SmartSolar SLL, Grundfos pump	6.0	1	1770.35	B
396040	F ¾" / M 1"	2-12 l/min.	With LK 152 SmartSolar SLL, Wilo pump	6.0	1	1743.73	B

LK 212 - Female / male thread - with LK 152 SmartSolar CS Plus



Article no.	Dim.	Flow range	Note	Weight kg	Package	Price (GBP)	ABC
396050	F ¾" x M 1"	2-12 l/min.	With LK 152 SmartSolar CS Plus, Wilo pump	6.0	1	1715.35	B
396051	F ¾" / M 1"	2-12 l/min.	With LK 152 SmartSolar CS Plus, Grundfos pump	6.0	1	1774.30	B

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
182675	LK 152 SmartSolar SLL	1	1	558.89	B
182735	LK 152 SmartSolar CS Plus	2	1	526.56	B
187325	Bracket	3	1	26.07	A
095470	Grundfos UPM3 Solar 25-75 180	4	1	482.97	B
095471	Wilo Para ST 25-180/8 IPWM2	5	1	423.50	B
095473	Ballvalve, red	6	1	98.48	B
095474	Ballvalve, blue	7	1	116.07	B
095475	EPP Insulation	8	1	54.74	B
095477	Air vent	9	1	139.16	B
095478	Safety group	10	1	94.38	B
095479	Filling valve	11	1	206.15	B

Solar Pump Units

LK 212 SolarStation S

LK 212 S - Female / male thread - without pump and controller



Article no.	Dim.	Flow range	Note	Weight kg	Package	Price (GBP)	ABC
396389	F 3/4" / M 1"	2-12 l/min.	Without pump and controller	3.5	1	POA	B

LK 212 S - Female / male thread - without controller



Article no.	Dim.	Flow range	Note	Weight kg	Package	Price (GBP)	ABC
396390	F 3/4" / M 1"	2-12 l/min.	With Grundfos pump, without controller	5.2	1	POA	B
396391	F 3/4" / M 1"	2-12 l/min.	With Wilo pump, without controller	5.2	1	POA	B

LK 212 S - Female / male thread - with LK 152 SmartSolar SLL



Article no.	Dim.	Flow range	Note	Weight kg	Package	Price (GBP)	ABC
396392	F 3/4" / M 1"	2-12 l/min.	With LK 152 SmartSolar SLL, Wilo pump	5.6	1	POA	B
396393	F 3/4" / M 1"	2-12 l/min.	With LK 152 SmartSolar SLL, Grundfos pump	5.6	1	POA	B

LK 212 S - Female / male thread - with LK 152 SmartSolar CS Plus



Article no.	Dim.	Flow range	Note	Weight kg	Package	Price (GBP)	ABC
396394	F 3/4" / M 1"	2-12 l/min.	With LK 152 SmartSolar CS Plus, Grundfos pump	5.6	1	POA	B
396395	F 3/4" / M 1"	2-12 l/min.	With LK 152 SmartSolar CS Plus, Wilo pump	5.6	1	1 637.30	B

Spare parts and Accessories

1.	2.	3.	Article no.	Article	Position	Package	Price (GBP)	ABC
			182675	LK 152 SmartSolar SLL	1	1	558.89	B
			182735	LK 152 SmartSolar CS Plus	2	1	526.56	B
4.	5.	6.	187325	Bracket	3	1	26.07	A
			095494	Grundfos UPM3 Solar 25-75 130	4	1	435.32	B
			095495	Wilo Para ST 25-130/8 IPWM2	5	1	423.50	B
			095473	Ballvalve, red	6	1	98.48	B
7.	8.	9.	095474	Ballvalve, blue	7	1	116.07	B
			095514	EPP Insulation	8	1	6.71	B
			095477	Air vent	9	1	139.16	B
			095478	Safety group	10	1	94.38	B
10.	11.		095479	Filling valve	11	1	206.15	B
								

Solar Pump Units

LK 211 SolarStation S

LK 211 S - Female / male thread - without pump and controller



Article no.	Dim.	Flow range	Note	Weight kg	Package	Price (GBP)	ABC
396198	F ¾" / M 1"	2-12 l/min.	Without pump and controller	1.8	1	475.25	B

LK 211 S - Female / male thread - without controller



Article no.	Dim.	Flow range	Note	Weight kg	Package	Price (GBP)	ABC
396192	F ¾" / M 1"	2-12 l/min.	With Wilo pump, without controller	3.6	1	916.27	B
396195	F ¾" / M 1"	2-12 l/min.	With Grundfos pump, without controller	3.6	1	905.38	B

LK 211 S - Female / male thread - with LK 152 SmartSolar SLL



Article no.	Dim.	Flow range	Note	Weight kg	Package	Price (GBP)	ABC
396193	F ¾" / M 1"	2-12 l/min.	With LK 152 SmartSolar SLL, Wilo pump	4.0	1	1470.31	B
396196	F ¾" / M 1"	2-12 l/min.	With LK 152 SmartSolar SLL, Grundfos pump	4.0	1	1459.42	B

LK 211 S - Female / male thread - with LK 152 SmartSolar CS Plus



Article no.	Dim.	Flow range	Note	Weight kg	Package	Price (GBP)	ABC
396194	F ¾" x M 1"	2-12 l/min.	With LK 152 SmartSolar CS Plus, Wilo pump	4.0	1	1440.60	B
396197	F ¾" x M 1"	2-12 l/min.	With LK 152 SmartSolar CS Plus, Grundfos pump	4.0	1	1463.37	B

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
182675	LK 152 SmartSolar SLL	1	1	558.89	B
182735	LK 152 SmartSolar CS Plus	2	1	526.56	B
187961	Bracket	3	1	16.80	B
095494	Grundfos UPM3 Solar 25-75 130	4	1	435.32	B
095495	Wilo Para ST 25-130/8 IPWM2	5	1	423.50	B
095474	Ballvalve, blue	6	1	116.07	B
095496	EPP Insulation	7	1	60.33	A
095478	Safety group	8	1	94.38	B
095479	Filling valve	9	1	206.15	B

Thermic Loading Valve

LK 820 ThermoVar®

LK 820 - Female thread



Article no.	Opening temp.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
180493	45 °C	F 1"	9,0	0.7	1/24	113.56	B
180500	55 °C	F ¾"	6,0	0.7	1/24	101.72	B
180501	55 °C	F 1"	9,0	0.7	1/24	115.64	A
180502	55 °C	F 1¼"	12,0	0.8	1/24	133.48	A
180508	61 °C	F ¾"	6,0	0.7	1/24	101.41	B
180509	61 °C	F 1"	9,0	0.7	1/24	115.37	A
180510	61 °C	F 1¼"	12,0	0.8	1/24	133.23	A
180517	66 °C	F 1"	9,0	0.7	1/24	119.38	B
180525	72 °C	F 1"	9,0	0.7	1/24	115.50	B
180526	72 °C	F 1¼"	12,0	0.8	1/24	130.74	B
180534	80 °C	F 1¼"	12,0	0.8	1/24	137.09	B

Other temperatures and dimensions on request.

LK 820 - Male thread



Article no.	Opening temp.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
180503	55 °C	M ¾"	4,0	0.7	1/24	116.18	B
180504	55 °C	M 1"	6,0	0.7	1/24	119.51	B
180505	55 °C	M 1¼"	9,0	0.7	1/24	100.63	B
180506	55 °C	M 1½"	12,0	0.8	1/24	132.37	B
180512	61 °C	M 1"	6,0	0.7	1/24	117.06	A
180513	61 °C	M 1¼"	9,0	0.7	1/24	100.20	B
180514	61 °C	M 1½"	12,0	0.8	1/24	143.94	B
180520	66 °C	M 1"	6,0	0.7	1/24	121.59	B
180528	72 °C	M 1"	6,0	0.7	1/24	139.10	B
180530	72 °C	M 1½"	12,0	0.8	1/24	133.54	B

Other temperatures and dimensions on request.


LK 820 - Compression fitting



Article no.	Opening temp.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
181125	61 °C	22 mm	6,0	0.8	1/24	202.67	B

Other temperatures and dimensions on request.

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
187025	Thermostatic element 820, 45 °C	1	1	21.90	A
187026	Thermostatic element 820, 55 °C	1	1	23.66	A
187027	Thermostatic element 820, 61 °C	1	1	25.21	A
187028	Thermostatic element 820, 66 °C	1	1	28.39	A
187029	Thermostatic element 820, 72 °C	1	1	20.62	A
187030	Thermostatic element 820, 80 °C	1	1	24.15	A
187107	Insulation, DN 15-20	2	1	18.60	A
187108	Insulation, DN 25-32	2	1	15.82	A

Thermic Loading Valve

LK 821 ThermoVar®

LK 821 - Female thread



Article no.	Opening temp.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
180540	45 °C	F ¾"	6,0	0.8	1/24	108.57	A
180541	45 °C	F 1"	9,0	0.9	1/24	181.74	A
180549	55 °C	F 1"	9,0	0.9	1/24	127.38	B
180573	72 °C	F 1"	9,0	0.9	1/24	122.50	A

Other temperatures and dimensions on request.


LK 821 - Male thread



Article no.	Opening temp.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
180544	45 °C	M 1"	6,0	0.8	1/24	124.33	B
180578	72 °C	M 1½"	12,0	1.0	1/24	137.20	B

Other temperatures and dimensions on request.

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
187031	Thermostatic element 821, 45 °C	1	1	35.37	A
187032	Thermostatic element 821, 55 °C	1	1	35.47	A
187033	Thermostatic element 821, 61 °C	1	1	37.98	A
187034	Thermostatic element 821, 66 °C	1	1	37.61	A
187035	Thermostatic element 821, 72 °C	1	1	32.40	A
187036	Thermostatic element 821, 80 °C	1	1	34.65	A
187107	Insulation, DN 15-20	2	1	18.60	A
187108	Insulation, DN 25-32	2	1	15.82	A

Thermic Loading Valve

LK 823 ThermoVar®

LK 823 - Female thread



Article no.	Opening temp.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
181284	45 °C	F 1"	9,0	1.0	1/10	150.09	A
181288	45 °C	F 1¼"	12,0	1.2	1/10	167.68	A
181285	50 °C	F 1"	9,0	1.0	1/10	140.94	B
181286	55 °C	F 1"	9,0	1.0	1/10	132.62	A
181290	55 °C	F 1¼"	12,0	1.2	1/10	150.04	A
181287	60 °C	F 1"	9,0	1.0	1/10	141.32	A
181291	60 °C	F 1¼"	12,0	1.2	1/10	158.80	A

Other temperatures and dimensions on request.


LK 823 - Male thread



Article no.	Opening temp.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
182163	45 °C	M 1"	9,0	1.0	1/10	139.17	B
181300	45 °C	M 1½"	12,0	1.2	1/10	162.42	B
182130	45 °C	M 1¼"	9,0	1.2	1/10	136.99	B
182164	50 °C	M 1"	9,0	1.0	1/10	139.04	B
182131	50 °C	M 1¼"	9,0	1.2	1/10	136.85	A
181302	55 °C	M 1½"	12,0	1.2	1/10	151.05	B
182132	55 °C	M 1¼"	9,0	1.2	1/10	128.54	B
181303	60 °C	M 1½"	12,0	1.2	1/10	153.76	A
181538	65 °C	M 1½"	12,0	1.2	1/10	161.25	B

Other temperatures and dimensions on request.

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
187102	Thermostatic element 823, 45 °C	1	1	32.47	A
187103	Thermostatic element 823, 50 °C	1	1	32.27	A
187104	Thermostatic element 823, 55 °C	1	1	24.02	A
187105	Thermostatic element 823, 60°C	1	1	21.72	A
187138	Thermostatic element 823, 65 °C	1	1	22.95	A
187139	Thermostatic element 823, 70 °C	1	1	17.74	A
187109	Insulation, DN 25-32	2	1	20.25	A
095351	LK 823 Pump connection 1¼"	3	1	29.65	A
095352	LK 823 Pump connection 1"	3	1	22.54	A

Thermic Loading Valve

LK 823 ThermoVar® R

LK 823 R - Female thread



Article no.	Dim.	Kvs m³/h	Note	Weight kg	Package	Price (GBP)	ABC
182386	F 1¼"	9,0	55-70 °C	1.2	1	183.72	B
182445	F 1¼"	9,0	45 - 60 °C	1.2	1	193.75	B

LK 823 R - Male thread




Article no.	Dim.	Kvs m³/h	Note	Weight kg	Package	Price (GBP)	ABC
182388	M 1½"	9,0	55 - 70 °C	1.2	1	183.72	B
182446	M 1½"	9,0	45-60 °C	1.2	1	194.11	B

LK 823 R - Rotating nut



Article no.	Dim.	Dim. 2	Kvs m³/h	Note	Weight kg	Package	Price (GBP)	ABC
182389	M 1¼"	1½" Rotating nut	9,0	55 - 70 °C	0.9	1	197.46	B
182447	M 1¼"	1½" Rotating nut	9,0	45 - 60 °C	0.9	1	206.89	A

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
187330	Repair Kit 823R	1	1	38.94	A
187310	LK Insulation, 551 (Kvs 3.2-4.2) / 552	2	1	23.09	A
095352	LK 823 Pump connection 1"	3	1	22.54	A
095351	LK 823 Pump connection 1¼"	3	1	29.65	A

Mixing Valve

LK 525 MultiZone 3R

LK 525 3R - Male thread



Article no.	Dim.	Kvs m ³ /h	Weight kg	Package	Price (GBP)	ABC
066077	M 1"	8,0	0.3	1/24	81.62	A

Other dimensions and Kvs on request.

LK 525 3R - Compression fitting



Article no.	Dim.	Kvs m ³ /h	Weight kg	Package	Price (GBP)	ABC
066079	22 mm	8,0	0.4	1/24	85.46	A
066080	28 mm	8,0	0.6	1/4	99.51	A

Other dimensions and Kvs on request.

LK 940 C



Article no.	Connection	Voltage	Torque	Operation time	Weight kg	Package	Price (GBP)	ABC
066127	1 m cable	230 V	5 Nm	110 s*	0.4	1/4	153.54	A
066128	1 m cable 0-10 VDC	24 VAC	5 Nm	110 s*	0.4	1/4	165.49	A

*Other operation times on request.

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
187202	Insulation	1	1	34.56	A

Mixing Valve

LK 830 ThermoMix® B


LK 830 - Female thread



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
180587	F ¾"	6,3	0.7	1/24	86.72	B

Other dimensions on request.

LK 830 - Male thread



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
180004	M ¾"	6,3	0.6	1/24	111.61	B
180588	M 1"	6,3	0.7	1/24	111.73	B

Other dimensions on request.


LK 830 - Compression fitting



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
180001	22 mm	4,0	0.7	1/24	132.01	B
180003	22 mm	6,3	0.7	1/24	112.01	B
180595	28 mm	6,3	1.1	1/24	185.57	B

Other dimensions on request.

Spare parts and Accessories




Article no.	Article	Position	Package	Price (GBP)	ABC
187059	Sealing kit 830/831, DN 15-20	1	1	6.51	A
187060	Sealing kit 830, DN 25	1	1	15.70	A
187187	Sealing kit LK 840/841 DN 15-20	1	1	12.83	A
187061	Repair kit 830, DN 15-20, Kvs 4.0	2	1	65.56	A
187062	Repair kit 830, DN 15-20, Kvs 6.3	2	1	45.56	A
187064	Repair kit 830, DN 25, Kvs 10.0	2	1	86.64	A
187958	830 Repair kit 830 DN 20, Kvs 6,3	2	1	POA	A

Mixing Valve


Copy 2 LK 840 ThermoMix® 2.0

LK 840 2.0 - Female thread



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
181908	F ½"	0,6	0.5	1/24	85.37	B
181909	F ½"	1,0	0.5	1/24	85.37	B
181910	F ½"	1,6	0.5	1/24	85.37	A
181911	F ½"	2,5	0.5	1/24	74.15	A
181912	F ¾"	4,0	0.5	1/24	64.93	A
181913	F ¾"	6,3	0.5	1/24	65.93	A
181914	F 1"	6,3	0.5	1/24	77.67	A
181915	F 1"	10,0	0.5	1/24	77.90	A
181916	F 1¼"	16,0	0.8	1/24	108.34	A

LK 840 2.0 - Female thread




Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
181917	F 1½"	25,0	1.4	1/24	218.43	A
181918	F 2"	40,0	1.6	1/4	252.23	A

LK 840 2.0 - Male thread



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
181919	M ¾"	2,5	0.6	1/24	73.82	A
181920	M 1"	4,0	0.6	1/24	75.54	B
181921	M 1"	6,3	0.6	1/24	75.94	A
181922	M 1¼"	10,0	0.6	1/24	98.10	A
181923	M 1½"	16,0	0.8	1/24	123.77	A

LK 840 2.0 - Male thread



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
181924	M 2"	25,0	1.4	1/4	250.23	B
181925	M 2"	32,0	1.4	1/4	216.99	B
181926	M 2"	45,0	1.4	1/4	269.75	B

LK 840 2.0 - Compression Fitting



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
181932	28 mm	6,3	0.7	1/24	146.90	B

Other dimensions on request.

LK 840 Set - Female thread - LK 950 / LK 100 SmartComfort CT



Article no.	Type	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
182759	LK 950 (180759)	F ¾"	6,3	1.0	1	256.80	B
182760	LK 950 (180759)	F 1"	6,3	1.0	1	266.42	B
182761	LK 950 (180759)	F 1"	10,0	1.0	1	268.78	B
182762	LK 100 (181242)	F ¾"	6,3	1.0	1	588.07	B
182763	LK 100 (181242)	F 1"	10,0	1.0	1	600.05	B

LK 850 HG - Male thread / Rotating nut




Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
182765	M 1" x M 1" x F 1" Rotating nut	6,3/10,0	0.65	1	111.34	B

LK 840 HG - Male thread / Rotating nut



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
182766	M 1½" x M 1¼" x F 1½" Rotating nut	6,3	0.7	1	111.58	B
182767	M 1½" x M 1¼" x F 1½" Rotating nut	10,0	0.7	1	99.87	B

Spare parts and Accessories




Article no.	Article	Position	Package	Price (GBP)	ABC
187187	Sealing kit LK 840/841 DN 15-20	1	1	12.83	A
187197	Sealing kit 840/841 2.0, DN 32	1	1	13.76	A
187188	Sealing kit LK 840/841 DN 25	1	1	13.36	A
187191	Repair kit 840 DN 25	2	1	39.31	A
187190	Repair kit LK 840 DN 15-20	2	1	35.24	A
187192	Repair kit LK 840 DN 32	2	1	50.69	A
187189	Sealing kit 840/841 2.0, DN 40-50	3	1	15.43	A
187193	Repair kit LK 840 DN 40-50	4	1	77.26	A
187107	Insulation, DN 15-20	5	1	18.60	A
187108	Insulation, DN 25-32	5	1	15.82	A

Mixing Valve

LK 841 ThermoMix® 2.0

LK 841 2.0 - Female thread



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
181940	F ½"	2,5	0.7	1/24	64.94	B
181941	F ¾"	4,0	0.5	1/24	64.94	B
181942	F ¾"	6,3	0.5	1/24	130.93	A
181943	F 1"	10,0	0.5	1/24	74.31	A
181944	F 1¼"	16,0	0.8	1/24	101.83	A

Other dimensions on request.


LK 841 2.0 - Female thread



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
181945	F 1½"	25,0	1.6	1/4	191.43	A
181946	F 2"	40,0	1.7	1/4	202.13	B

Other dimensions on request.

LK 841 2.0 - Male thread



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
181949	M 1"	6,3	0.5	1/24	71.27	B

Other dimensions on request.


LK 841 2.0 - Compression Fitting



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
181986	22 mm	2,5	0.9	1/24	165.57	B

Other dimensions on request.

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
187187	Sealing kit LK 840/841 DN 15-20	1	1	12.83	A
187188	Sealing kit LK 840/841 DN 25	1	1	13.36	A
187197	Sealing kit 840/841 2.0, DN 32	1	1	13.76	A
187194	Repair kit 841 2.0, DN 15-20	2	1	29.53	A
187195	Repair kit 841 2.0, DN 25	2	1	31.96	A
187198	Repair kit 841 2.0, DN 32	2	1	50.09	A
187189	Sealing kit 840/841 2.0, DN 40-50	3	1	15.43	A
187196	Repair kit 841 2.0, DN 40-50	4	1	67.46	A
187107	Insulation, DN 15-20	5	1	18.60	A
187108	Insulation, DN 25-32	5	1	15.82	A

Mixing Valve

LK 842 ThermoMix® P

LK 842 - Male thread




Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
180879	M ¾"	5,5	0.8	1/24	149.76	A

LK 842 - Compression fitting



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
180880	15 mm	5,5	0.8	1/24	164.52	A
180881	22 mm	5,5	0.8	1/24	152.84	A

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
013083	Gasket 842	1	1	1.71	A
187067	Sealing kit 840/841/842, DN 25-32	2	1	13.76	A
187071	Repair kit 841/842, DN 25-32	3	1	41.78	B

Mixing Valve

LK 850 ThermoMix® H


LK 850 - Male thread / Rotating nut



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
181144	M 1½"	8,0	1.5	1/10/320	179.63	A

Two 1½" rotating nuts and two gaskets of EPDM are included in the delivery.

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
187082	Sealing kit 850	1	1	5.76	A

Mixing Valve

LK 851 ThermoMix® H


LK 851 - Male thread / Rotating nut



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
181145	M 1½"	8,0	1.6	1/10/320	198.30	A

Two 1½" rotating nuts and two gaskets of EPDM are included in the delivery.

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
187083	Sealing kit 851	1	1	5.72	A

Temperature Controllers

LK SmartComfort

LK 100 SmartComfort CT



Article no.	Type	Weight kg	Package	Price (GBP)	ABC
181242	LK 100 SmartComfort CT - EU	0.5	1/16/256	510.77	A
181248	LK 100 SmartComfort CT - UK	0.5	1/16/256	520.20	B
181249	LK 100 SmartComfort CT - US	0.5	1/16/256	526.54	B

LK 110 SmartComfort



Article no.	Type	Weight kg	Package	Price (GBP)	ABC
181243	LK 110 SmartComfort - EU	0.7	1/16/256	574.77	A
181250	LK 110 SmartComfort - UK	0.7	1/16/256	584.43	B
181251	LK 110 SmartComfort - US	0.7	1/16/256	606.92	B

LK 120 SmartComfort



Article no.	Type	Weight kg	Package	Price (GBP)	ABC
181244	LK 120 SmartComfort - EU, with room temperature unit SmartComfort RT - 15 m cable	0.8	1/8/128	740.57	A
181245	LK 120 SmartComfort - EU, with room temperature unit SmartComfort RTW - wireless receiver	0.7	1/8/128	871.93	A
181252	LK 120 SmartComfort - UK, with room temperature unit SmartComfort RT - 15 m cable	0.8	1/8/128	752.94	B
181254	LK 120 SmartComfort - UK, with room temperature unit SmartComfort RTW - wireless receiver	0.7	1/8/128	891.59	B
181253	LK 120 SmartComfort - US, with room temperature unit SmartComfort RT - 15 m cable	0.8	1/8/128	747.03	B

LK 130 SmartComfort



Article no.	Type	Weight kg	Package	Price (GBP)	ABC
181246	LK 130 SmartComfort - EU, with room temperature unit SmartComfort RT - 15 m cable	1.0	1/8/128	806.11	A
181247	LK 130 SmartComfort - EU, with room temperature unit SmartComfort RTW - wireless receiver	0.9	1/8/128	937.47	A
181256	LK 130 SmartComfort - UK, with room temperature unit SmartComfort RT - 15 m cable	1.0	1/8/128	827.90	B
181258	LK 130 SmartComfort - UK, with room temperature unit SmartComfort RTW - wireless receiver	0.9	1/8/128	947.86	B
181257	LK 130 SmartComfort - US, with room temperature unit SmartComfort RT - 15 m cable	1.0	1/8/128	812.29	B

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
187098	Temperature controller SmartComfort CT	1	1	451.15	A
187099	Temperature controller SmartComfort	1	1	449.42	A
025010	Adapter 24 VDC - EU	2	1	31.73	A
025011	Adapter 24 VDC - UK	2	1	37.59	C
025012	Adapter 24 VDC - US	2	1	33.38	A
181260	Mounting kit LK	3	1	15.94	A
025013	Supply temperature sensor, 1 m cable	4	1	23.69	A
025014	Outdoor temperature sensor, 15 m cable	5	1	46.43	A
025020	Protective casing for outdoor temperature sensor	6	1	18.34	A
187096	Room temperature unit SmartComfort RT	7	1	237.07	A
025025	Cable for SmartComfort RT, 15 m	8	1	43.02	A
025026	Extension cable for SmartComfort RT, 15 m	9	1	52.81	A
187113	Room temperature unit SmartComfort RTW with wireless receiver	10	1	368.33	A
187095	Pump control SmartComfort PC	11	1	348.63	A
025027	Extension cable for outdoor temperature sensor, 15 m	12	1	25.68	C
025008	Extension cable for adapter, 1 m	13	1	7.67	C

Valve Actuator

LK 941 EasyMix

LK 941



Article no.	Connection	Voltage	Torque	Operation time	Weight kg	Package	Price (GBP)	ABC
066129	1 m cable	230 VAC	15 Nm	73 s	0.6	1/4	149.18	A
066132	1 m cable	230 VAC	15 Nm	147 s	0.6	1/4	197.36	B
066133	1 m cable. 0 - 10 VDC	24 VDC/AC	15 Nm	73 s	0.6	1/4	323.25	A

Valve Actuator

LK 950 Valve Actuator

LK 950



Article no.	Voltage	Torque	Operation time	Note	Weight kg	Package	Price (GBP)	ABC
180742	24 VAC	5 Nm	70 s	Mounting kit is not included	0.5	1/1	185.44	A
180744	24 VAC	5 Nm	140 s	Mounting kit is not included	0.5	1/1	187.98	A
50801007	230 VAC	5 Nm	35 s	1.5 m cable	0.5	1/1	234.55	A
180756	230 VAC	5 Nm	70 s	1.5 m cable	0.5	1/50	193.36	A
180759	230 VAC	5 Nm	140 s	1.5 m cable	0.5	1/50	179.50	A
180760	230 VAC	5 Nm	140 s	3 m cable	0.5	1/50	196.66	A
180762	230 VAC	10 Nm	280 s	1.5 m cable	0.5	1/50	211.84	A
180764	230 VAC	10 Nm	140 s	1.5 m cable	0.5	1/50	211.84	A
181208	230 VAC	5 Nm	280 s	incl. auxiliary switch	0.5	1/4	293.67	A
180978	230 VAC	5 Nm	280 s	1.5 m cable	0.5	1/4	238.70	A
180765	24 VDC/AC	5 Nm	70 s	2 (0) - 10 V, without cable	0.5	1/50	287.73	A
182323	24 VDC/AC	5 Nm	70 s	2 (0) - 10 V, 3 m cable	0.5	1/50	299.43	A

* Depending on model

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
180739	Mounting kit 950	1	1	12.54	A
180741	Auxiliary switch 950	2	1	65.33	A
026223	Cable for auxiliary switch, 1.5 m	3	1	35.64	A

Mounting Kits

Mounting Kits

Mounting kits for mixing valves of other brands



Article no.	Type	Note	Package	Price (GBP)	ABC
187086	440, 450, 451, 460, 475, 476, W28	Valve brand: Barberi	1	17.82	C
187084	DR-GMLA, DR-GFLA (DN 15-35)	Valve brand: Centra	1	47.51	C
187087	DR-MA (DN 15-50)	Valve brand: Centra	1	193.36	C
180746		Valve brand: Danfoss	1	62.03	C
180403	VRG, VRB (DN 15-50)	Valve brand: ESBE	1	15.84	A
187088	BR80 SMD/SMV	Valve brand: Holter	1	17.16	C
187094	SERIES 2, VCI 31 (DN 20-40)	Valve brand: Landis & Staefa	1	102.29	C
187089	SERIES 1, B3F (DN 20-40)	Valve brand: Landis & Staefa	1	102.29	C
187090		Valve brand: Lazzari	1	128.68	C
187091	3W, 4W	Valve brand: Lovato	1	17.16	C
187092	MB	Valve brand: Satchwell	1	36.29	C
187093	MBF	Valve brand: Satchwell	1	102.29	C
180747		Valve brand: Siemens	1	57.41	C
180740	3W, 4W, H	Valve brand: Wita / Oventrop / Meibes	1	21.12	A

Differential Temperature Controller

LK 150 SmartSol

LK 150 SmartSol



Article no.	Type	Weight kg	Package	Price (GBP)	ABC
181796	150 SmartSol Top	0.7	1/6	1085.63	C

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
025042	Differential temperature controller SmartSol Top	1	1	923.90	C
181187	Collector sensor PT 1000 Ø 5 mm - 3 m cable	2	1	44.67	A
181186	Tank sensor PT 1000 Ø 6 mm - 4 m cable	3	1	32.27	A
180812	Sensor pocket 150 mm	4	1	43.36	C

Differential Temperature Controller

LK 160 SmartBio®

LK 160 SmartBio®



Article no.	Type	Weight kg	Package	Price (GBP)	ABC
181234	LK 160 SmartBio standard kit	0.7	1/4	947.53	B
181233	LK 160 SmartBio® kit for hydraulic system 1	6.2	1	2169.48	B

Spare parts and Accessories

			Article no.	Article	Position	Package	Price (GBP)	ABC
1	2	3	025017	Differential temperature controller SmartBio®	1	1	824.91	A
			181186	Tank sensor PT 1000 Ø 6 mm - 4 m cable	2	1	32.27	A
			187129	Circulating pump Grundfos Alpha1 25-60/130	3	1	542.59	C
4	5	6	187017	Ball valve F 1"	4	1	37.77	A
			187018	Ball valve F 1¼"	5	1	40.06	A
			187019	Ball valve 28 mm	6	1	43.24	B
			180487	Check valve with double acting flow LK 970 ThermoBac DB	7	1	206.98	C
7	8	9	180812	Sensor pocket 150 mm	8	1	43.36	C
			013025	Gasket EPDM 1½" - Ø44 x Ø27 x 2 mm	9	1	0.51	A
			181553	LK 824 ThermoVar® M 1½", 45 °C	10	1	241.12	B
			181554	LK 824 ThermoVar® M 1½", 55 °C	10	1	246.21	B
			181555	LK 824 ThermoVar® M 1½", 61 °C	10	1	244.89	B
			181556	LK 824 ThermoVar® M 1½", 66 °C	10	1	246.44	B
			181557	LK 824 ThermoVar® M 1½", 72 °C	10	1	277.85	B
10	11		180810	Connection M 1½" x M 1½", L30 mm	11	1	37.16	C

Differential Temperature Controller

LK 162 SmartStove®

LK 162 SmartStove®



Article no.	Type	Weight kg	Package	Price (GBP)	ABC
181708	LK 162 SmartStove®	0.7	1/4	670.48	B

Four sensors included (PT 1000 - 4 m cable).


Spare parts and Accessories

		Article no.	Article	Position	Package	Price (GBP)	ABC
1	2	181186	Tank sensor PT 1000 Ø 6 mm - 4 m cable	1	1	32.27	A
		180812	Sensor pocket 150 mm	2	1	43.36	C

Zone Valve

LK 525 MultiZone 2W

LK 525 2W - Female thread



Article no.	Type	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
066246	NO	F ¾"	10,0	0.2	1	84.38	A
066247	NO	F 1"	11,0	0.3	1	90.91	A
066423	NC	F ¾"	10,0	0.2	1	81.09	B
066424	NC	F 1"	11,0	0.3	1	87.62	B

LK 525 2W - Male thread



Article no.	Type	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
066112	NC	M ¾"	10,0	0.2	1/24/36	78.45	A
066102	NC	M 1"	11,0	0.3	1/24/36	81.07	A
066103	NC	M 1¼"	11,0	0.6	1/24/36	91.52	A
066115	NO	M ¾"	10,0	0.2	1/24/36	87.65	A
066113	NO	M 1"	11,0	0.3	1/24/36	79.77	A
066114	NO	M 1¼"	11,0	0.6	1/24/36	81.98	A

LK 525 2W - Compression fitting



Article no.	Type	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
066104	NC	22 mm	11,0	0.4	1/4/36	90.94	A
066105	NC	28 mm	11,0	0.6	1/4/36	94.64	A
066116	NO	22 mm	11,0	0.4	1/4/36	84.00	B
066119	NO	28 mm	11,0	0.6	1/4/36	105.00	B

LK 525 - Actuator



Article no.	Type	Connection	Torque	Weight kg	Package	Price (GBP)	ABC
066111	NC	EMV 110-K SPST Actuator 230 VAC, Cable 1 m	5 Nm	0.3	1/4/36	133.64	A
066199	NO	EMV 110-K SPST Actuator 230 VAC, Cable 1 m	5 Nm	0.3	1/4/36	148.06	A

LK 525 2W SET – incl. Actuator 230VAC 1m Cable - Female thread



Article no.	Type	Dim.	Kvs m³/h	Torque	Weight kg	Package	Price (GBP)	ABC
066442	NC	F ¾"	10,0	5 Nm	0.5	1/10	221.73	A
066443	NC	F 1"	11,0	5 Nm	0.6	1/10	228.00	A

LK 525 2W SET – incl. Actuator 230VAC 1m Cable - Male thread



Article no.	Type	Dim.	Kvs m³/h	Torque	Weight kg	Package	Price (GBP)	ABC
066437	NC	M ¾"	10,0	5 Nm	0.5	1/10	218.33	A
066438	NC	M 1"	11,0	5 Nm	0.6	1/10	219.60	A
066439	NC	M 1 ¼"	11,0	5 Nm	0.9	1/10	225.19	A

LK 525 2W SET – incl. Motor 230VAC 1m Cable - Compression fitting



Article no.	Type	Dim.	Kvs m³/h	Torque	Weight kg	Package	Price (GBP)	ABC
066440	NC	22 mm	11,0	5 Nm	0.7	1/10	229.31	B
066441	NC	28 mm	11,0	5 Nm	0.9	1/10	237.43	B

Mixing / Diverting Valve

LK 525 MultiZone 3R

LK 525 3R - Male thread



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
066077	M 1"	8,0	0.3	1/24	81.62	A

Other dimensions and Kvs on request.

LK 525 3R - Compression fitting



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
066079	22 mm	8,0	0.4	1/24	85.46	A
066080	28 mm	8,0	0.6	1/4	99.51	A

Other dimensions and Kvs on request.

LK 940 C



Article no.	Connection	Voltage	Torque	Operation time	Weight kg	Package	Price (GBP)	ABC
066127	1 m cable	230 V	5 Nm	110 s*	0.4	1/4	153.54	A
066128	1 m cable 0-10 VDC	24 VAC	5 Nm	110 s*	0.4	1/4	165.49	A

*Other operation times on request.

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
187202	Insulation	1	1	34.56	A

Zone Valve

LK 525 MultiZone 3W

LK 525 3W - Quick Connection



Article no.	Dim.	Kvs m ³ /h	Weight kg	Package	Price (GBP)	ABC
182306	Ø 22	8,0	0.3	1	64.73	B
182307	Ø 28	8,0	0.5	1	73.39	B

LK 525 3W - Female thread



Article no.	Dim.	Kvs m ³ /h	Weight kg	Package	Price (GBP)	ABC
066420	F ¾"	7,0	0.3	1/24	95.11	A
066421	F 1"	8,0	0.3	1/24	101.64	A

LK 525 3W - Male thread



Article no.	Dim.	Kvs m ³ /h	Weight kg	Package	Price (GBP)	ABC
066000	M ¾"	7,0	0.3	1/24	94.05	A
066106	M 1"	8,0	0.3	1/24	62.23	A
066107	M 1¼"	8,0	0.6	1/24	75.58	A
066418	M 1¼"	13,0	0.7	1/10	107.83	A

LK 525 3W - Compression fitting



Article no.	Dim.	Kvs m ³ /h	Weight kg	Package	Price (GBP)	ABC
066108	22 mm	8,0	0.4	1/24	70.88	A
066109	28 mm	8,0	0.6	1/4	80.09	A
066399	28 mm	13,0	0.7	1/10	120.01	A

LK 525 3W - Actuator and Adaptor



Article no.	Torque	Note	Weight kg	Package	Price (GBP)	ABC
066177		Adapter Polar / Solar	0.03	1/25	16.34	A
066060	5 Nm	EMV 110-M SPST Actuator 230 VAC with Molex®	0.3	1/4/50	127.30	A
066061	5 Nm	EMV 110-K SPST Actuator 230 VAC with cable 1 m	0.3	1/4/36	124.46	A
066062	5 Nm	EMV 110-K SPST Actuator 230 VAC with cable 3 m	0.4	1/4	135.01	A
066063	5 Nm	EMV 110-M SPST Actuator 24 VAC with Molex®	0.3	1/4	110.45	A
066083		Cable-M 3x0.75 L=1 m with Molex®	0.1	1	21.94	A
066086		Cable-M 3x0.75 L=1.7 m with Molex®	0.1	1	31.23	B

LK 525 3W SET - incl. Motor 230VAC 1m Cable - Internal thread



Article no.	Dim.	Kvs m³/h	Torque	Weight kg	Package	Price (GBP)	ABC
066433	F ¾"	7,0	5 Nm	0.6	1/10	227.17	A
066434	F 1"	8,0	5 Nm	0.6	1/10	225.75	A

LK 525 3W SET - incl. Motor 230VAC 1m Cable - Male thread



Article no.	Dim.	Kvs m³/h	Torque	Weight kg	Package	Price (GBP)	ABC
066426	M ¾"	7,0	5 Nm	0.6	1/10	223.08	A
066427	M 1"	8,0	5 Nm	0.6	1/10	193.64	A
066428	M 1¼"	8,0	5 Nm	0.9	1/10	206.05	A
066429	M 1¼"	13,0	5 Nm	1.1	1/10	230.98	A

LK 525 3W SET - incl. Motor 230VAC 1m Cable - Compression fitting



Article no.	Dim.	Kvs m³/h	Torque	Weight kg	Package	Price (GBP)	ABC
066430	22 mm	8,0	5 Nm	0.7	1/10	203.68	A
066431	28 mm	8,0	5 Nm	0.9	1/10	210.52	A
066432	28 mm	13,0	5 Nm	1.1	1/10	243.32	A

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
187202	Insulation	1	1	34.56	A

Zone Valve

LK 527 MultiZone 2W

LK 527 2W - Female Thread



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
066263	F ½"	20,0	0.6	1	42.43	A
066264	F ¾"	45,0	0.7	1	54.64	A
066265	F 1"	60,0	0.9	1	68.50	A
066266	F 1¼"	100,0	1.1	1	86.32	A

Other dimensions on request.

LK 527 2W - Male thread



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
066279	M 1"	45,0	0.8	1	57.88	C
066280	M 1¼"	60,0	1.0	1	78.27	A

Other dimensions on request.

LK 527 - Actuator



Article no.	Connection	Voltage	Torque	Operation time	Weight kg	Package	Price (GBP)	ABC
066282	2-point SPST output, with cable 1 m	230 V	5 Nm	12s / 90°	0.4	1/4/36	154.20	B
066283	2-point SPST output, with cable 1 m	230 V	5 Nm	30s / 90°	0.4	1/4/36	149.24	B

Zone Valve

LK 527 MultiZone 3W

LK 527 3W - Female Thread



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
066252	F ¾"	9,6	0.8	1	76.48	C
066253	F 1"	11,3	1.0	1	125.52	C

LK 527 3W - Male Thread



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
066257	M 1½" with transition fitting M 1¼"	25,0	2.1	1	232.03	A

LK 527 3W - Male thread



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
066259	M 1¼"	11,3	1.0	1	115.75	C
066260	M 1½"	25,0	1.3	1	179.96	B

LK 527 - Actuator



Article no.	Connection	Voltage	Torque	Operation time	Weight kg	Package	Price (GBP)	ABC
066284	3-point SPDT output, with cable 1 m	230 V	5 Nm	20s / 90°	0.4	1/4/36	133.93	B
066287	3-point SPDT output, with cable 1 m	230 V	5 Nm	110s / 90°	0.4	1/4/36	149.97	B

Filling Valve


LK 321 MultiFill® Solar

LK 321 - Male thread



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
092320	M 1" x M ¾"	17,0	0.65	1	101.38	A

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
299189	Flanged pipe - 22 mm, F 1", L=120 mm	1	1	20.26	B
013035	Gasket C4400 1"	2	1	0.79	A
095410	Compression fitting 22 mm x M 25	3	1	22.87	B
095411	Compression fitting 18 mm x M 25	3	1	39.12	B

Filling Valve

LK 521 MultiFill®

LK 521 - Male thread




Article no.	Dim.	Dim. 2	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
091480	M 1"	M ¾"	12,5	1.3	1/1/260	178.78	A
091481	M 1¼"	M ¾"	22,0	1.7	1/1/80	241.45	A

Dimension 1 - Pipe connection to collector hose

Dimension 2 - Connection for filling of fluid

Dimensions according to dimensional drawings are guidance and not part of the specification

LK 521 - Male thread





Article no.	Dim.	Dim. 2	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
091483	M 2"	M 1"	40,0	4.6	1	727.98	A

Dimension 1 - Pipe connection to collector hose

Dimension 2 - Connection for filling of fluid

Dimensions according to dimensional drawings are guidance and not part of the specification

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
095070	Filter and sealing DN 25	1	1	7.54	A
095071	Filter and sealing DN 32	1	1	10.36	A
095072	LK Insulation, 521 DN 25-32	3	1	17.01	A
095073	Ball valve incl. filter	2	1	25.15	A
187309	LK Insulation, 521 DN 50	4	1	27.92	A

Filling Valve

LK 534 ThermoFill® EA

LK 534 - Female thread



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
182786	F ½"	1,1	0.3	1/10	52.68	B

LK 534 - Compression fitting



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
182787	15 mm	1,1	0.3	1/10	60.23	B

Filling Valve

LK 538 ThermoFill® EA

LK 538 - Male thread



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
090268	M ½"	2,7	0.1	1/1/100	30.64	A

LK 538 - Male thread / Compression fitting



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
090269	M ½" / 15 mm	2,7	0.2	1/1/100	34.58	A

LK 538 - Compression fitting



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
090271	15 mm	2,7	0.2	1/16/100	36.35	A

Filling Valve

LK 539 ThermoFill® EA

LK 539 - Male thread



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
068008	M ¾"	2,7	0.2	1	33.16	A

Safety Relief Valve

LK 510/511/512 MultiSafe

LK 510 - Female thread / Compression fitting - Tap water



Article no.	Dim.	Opening pressure	Discharge capacity	Weight kg	Package	Price (GBP)	ABC
090033	F 3/4" x 22 mm	0,9 MPa	6741 l/h	0.2	1	33.11	A
090034	F 3/4" x 22 mm	1,0 MPa	7107 l/h	0.2	1	31.06	A

According to EN 1491

LK 510 - Female thread / Compression fitting - Heating



Article no.	Dim.	Opening pressure	Discharge capacity	Weight kg	Package	Price (GBP)	ABC
090030	F 3/4" x 22 mm	0,15 MPa	2962 l/h	0.2	1	32.17	A
090035	F 3/4" x 22 mm	0,2 MPa	3298 l/h	0.2	1	33.50	B
090031	F 3/4" x 22 mm	0,25 MPa	3602 l/h	0.2	1	32.30	A
090036	F 3/4" x 22 mm	0,3 MPa	3883 l/h	0.2	1	33.05	A

According to EN 1491

LK 510 - Female thread - Heating



Article no.	Dim.	Opening pressure	Discharge capacity	Weight kg	Package	Price (GBP)	ABC
055505	F 3/4"	0,15 MPa	2962 l/h	0.2	1	33.79	A
055506	F 3/4"	0,25 MPa	3602 l/h	0.2	1	33.79	A

According to EN 1491

LK 511 - Male thread / Compression fitting - Tap water



Article no.	Dim.	Opening pressure	Discharge capacity	Weight kg	Package	Price (GBP)	ABC
090043	M 3/4" x 22 mm	0,9 MPa	6741 l/h	0.2	1	57.80	A
090044	M 3/4" x 22 mm	1,0 MPa	7107 l/h	0.2	1	43.25	A

According to EN 1491

LK 511 - Male thread / Compression fitting - Heating



Article no.	Dim.	Opening pressure	Discharge capacity	Weight kg	Package	Price (GBP)	ABC
090040	M 3/4" x 22 mm	0,15 MPa	2962 l/h	0.2	1	43.74	A
090047	M 3/4" x 22 mm	0,2 MPa	3298 l/h	0.2	1	44.77	B
090041	M 3/4" x 22 mm	0,25 MPa	3602 l/h	0.2	1	43.96	A
090048	M 3/4" x 22 mm	0,3 MPa	3883 l/h	0.2	1	44.63	A

According to EN 1491

LK 512 - Compression fitting - Tap water



Article no.	Dim.	Opening pressure	Discharge capacity	Weight kg	Package	Price (GBP)	ABC
090053	22 mm	0,9 MPa	6741 l/h	0.3	1	48.86	A
090054	22 mm	1,0 MPa	7107 l/h	0.3	1	52.54	B

According to EN 1491

LK 512 - Compression fitting - Heating



Article no.	Dim.	Opening pressure	Discharge capacity	Weight kg	Package	Price (GBP)	ABC
090050	22 mm	0,15 MPa	2962 l/h	0.3	1	47.29	A
090051	22 mm	0,25 MPa	3602 l/h	0.3	1	47.58	A

According to EN 1491

Safety Relief Valve

LK 514 MultiSafe

LK 514 Male thread / Compression fitting



Article no.	Dim.	Opening pressure	Discharge capacity	Weight kg	Package	Price (GBP)	ABC
090109	M 1/2" x 15 mm	0,15 MPa	3420 l/h	0.1	1	21.69	A
090110	M 1/2" x 15 mm	0,25 MPa	4159 l/h	0.1	1	23.28	A
090111	M 1/2" x 15 mm	0,3 MPa	4484 l/h	0.1	1	29.30	A
090112	M 1/2" x 15 mm	0,4 MPa	5180 l/h	0.1	1	27.13	A
090113	M 1/2" x 15 mm	0,6 MPa	6350 l/h	0.1	1	23.30	A
090114	M 1/2" x 15 mm	0,7 MPa	6860 l/h	0.1	1	24.48	A
090115	M 1/2" x 15 mm	0,9 MPa	7782 l/h	0.1	1	23.17	A
090116	M 1/2" x 15 mm	1,0 MPa	8204 l/h	0.1	1	23.29	A

*[According to EN 1491]

Valve Combination


LK 548 AquaKit

LK 548 - Compression fitting



Article no.	Dim.	Kvs m ³ /h	Weight kg	Package	Price (GBP)	ABC
090085	22 mm	1,8	0.7	1	101.63	A

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
4920723	LK 683 Repair kit, Mixing valve	1	1	34.05	A
4311733	LK 684 Repair kit, Shut-off/Check valve	2	1	12.62	A
1898055	Adapter LK 373 22 x M 3/4"	3	1	11.61	A

Thermic Mixing Valve

LK 550 AquaMix

LK 550 - Male thread




Article no.	Dim.	Kvs m ³ /h	Weight kg	Package	Price (GBP)	ABC
090206	M 1/2"	1,2	0.3	1/12	47.17	A
090063	M 3/4"	2,2	0.4	1/12	56.99	A
090528	M 1"	2,2	0.5	1/10	57.80	A

LK 550 - Compression fitting



Article no.	Dim.	Kvs m ³ /h	Weight kg	Package	Price (GBP)	ABC
090200	15 mm	1,2	0.3	1/10	55.34	A
090205	22 mm	2,2	0.4	1/10	70.05	A

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
4920723	LK 683 Repair kit, Mixing valve	1	1	34.05	A
055009	Check valve NN ¾"	0	1	49.63	C
092105	528 Cartridge Check valve 15 mm	0	1	15.85	B
092103	528 Cartridge Check valve 22 mm	0	1	7.82	A
1898055	Adapter LK 373 22 x M ¾"	2	1	11.61	A
052002	LK 373 Adapter 15 x M ½"	2	1	7.77	A
187224	Airscrew	3	1	2.77	A

Thermic Mixing Valve

LK 551 HydroMix

LK 551 - Female thread



Article no.	Dim.	Kvs m³/h	Note	Weight kg	Package	Price (GBP)	ABC
181616	F ½"	1,5	25 - 45 °C	0.5	1/12	123.64	B
181617	F ¾"	1,6	25 - 45 °C	0.5	1/12	126.89	B
181455	F ½"	1,5	35 - 65 °C	0.5	1/12	121.67	B
181486	F ¾"	1,6	35 - 65 °C	0.5	1/12	130.85	A
182203	F 1"	3,5	10 - 30 °C	0.9	1/8	147.52	B
182204	F 1"	4,2	25 - 45 °C	0.9	1/8	141.81	A
182205	F 1 "	3,5	35 - 65 °C	0.9	1/8	146.73	B

LK 551 - Male thread



Article no.	Dim.	Kvs m³/h	Note	Weight kg	Package	Price (GBP)	ABC
181618	M ½"	1,3	25 - 45 °C	0.4	1/12	117.08	B
181619	M ¾"	1,5	25 - 45 °C	0.5	1/12	128.15	A
181620	M 1"	1,6	25 - 45 °C	0.5	1/12	111.23	A
181452	M ½"	1,3	35 - 65 °C	0.4	1/12	118.01	A
181453	M ¾"	1,5	35 - 65 °C	0.5	1/12	123.48	A
181454	M 1"	1,6	35 - 65 °C	0.5	1/12	114.42	A
182736	M 1"	1,6	35 - 65 °C *, WRAS	0.5	1/12	103.90	B
182197	M 1"	3,5	10 - 30 °C	0.7	1/8	162.51	B
182198	M 1"	3,5	25 - 45 °C	0.7	1/8	160.93	A
182199	M 1"	3,5	35 - 65 °C	0.7	1/8	160.94	A
182200	M 1¼"	3,5	10 - 30 °C	0.8	1/8	168.17	B
182201	M 1¼"	4,2	25 - 45 °C	0.8	1/8	163.73	A
182202	M 1¼"	3,5	35 - 65 °C	0.8	1/8	169.01	A

* Material, valve body: EN 12165 CW625N

LK 551 - Compression fitting



Article no.	Dim.	Kvs m ³ /h	Note	Weight kg	Package	Price (GBP)	ABC
181621	15 mm	1,3	25 - 45 °C	0.4	1/12	146.19	B
181622	22 mm	1,6	25 - 45 °C	0.4	1/12	170.63	B
181523	15 mm	1,3	35 - 55 °C	0.5	1/12	161.00	B
181487	22 mm	1,6	35 - 55 °C	0.6	1/12	146.39	B
181456	15 mm	1,3	35 - 65 °C	0.5	1/12	140.78	B
182738	15 mm	1,3	35 - 65 °C *, WRAS	0,5	1/12	133.31	B
181457	22 mm	1,6	35 - 65 °C	0.6	1/12	151.51	A
182737	22 mm	1,6	35 - 65 °C *, WRAS	0,6	1/12	141.00	B
182206	28 mm	3,5	10 - 30 °C *	0.9	1/8	188.07	B
182207	28 mm	4,2	25 - 45 °C *	0.9	1/8	183.62	B
182208	28 mm	3,5	35 - 65 °C *	0.9	1/8	183.75	B


* Material, valve body: EN 12165 CW625N

LK 551 - Rotating nut



Article no.	Dim.	Dim. 2	Kvs m ³ /h	Note	Weight kg	Package	Price (GBP)	ABC
182431	M 1 1/4"	1 1/2" Rotating nut	3,5	25 - 45 °C	0.9	1	177.21	A
182820	M 1 1/4"	1 1/2" Rotating nut	3,5	50 - 70 °C	0.9	1	177.21	A

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
095234	Repair kit 551, 35 - 65 °C (Kvs 1.6)	1	1	58.82	A
095235	Repair kit 551, 25 - 45 °C	1	1	57.63	A
095236	Repair kit 551, 35 - 55°C	1	1	57.35	A
095348	Repair kit 551, 10 - 30 °C (Kvs 3.2-4.2)	1	1	71.36	A
095349	Repair kit 551, 25 - 45 °C, Kvs 3.2-4.2	1	1	44.18	A
095350	Repair kit 551, 35 - 65 °C, Kvs 3.2-4.2	1	1	62.63	A
092055	Connection kit M 1/2" x 3/4" with rotating nut, gaskets, 2 check valves	2	1	37.42	A
092054	Connection kit M 1/2" x 3/4" with rotating nut, gaskets, 1 check valve	2	1	34.48	A
092052	Connection kit M 3/4" x 1" with rotating nut, gaskets, 1 check valve	2	1	59.66	A
092053	Connection kit M 3/4" x 1" with rotating nut, gaskets, 2 check valves	2	1	62.82	A
092333	Connection kit M 1" x 1 1/4" with rotating nut, gaskets, 1 check valve	2	1	101.86	A
092334	Connection kit M 1" x 1 1/4" with rotating nut, gaskets, 2 check valves	2	1	108.10	A
187310	LK Insulation, 551 (Kvs 3.2-4.2) / 552	3	1	23.09	A
187304	LK Insulation, 551 (Kvs 1.3-1.6)	3	1	23.36	A

Thermic Mixing Valve


LK 551 HydroMix F

LK 551 F - Male thread



Article no.	Dim.	Kvs m³/h	Note	Weight kg	Package	Price (GBP)	ABC
182143	M 1"	1,6	42 - 52 °C	0.5	1/10	125.76	A
182428	M 1"	3,5	42 - 52 °C	0.7	1	173.93	A

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
095075	Repair kit 551 F, 42 - 52 °C. Kvs 1.6	1	1	74.53	A
095444	Repair kit 551 F, 42 - 52 °C. Kvs 3,5	1	1	68.93	A
092052	Connection kit M ¾" x 1" with rotating nut, gaskets, 1 check valve	2	1	59.66	A
092053	Connection kit M ¾" x 1" with rotating nut, gaskets, 2 check valves	2	1	62.82	A
187304	LK Insulation, 551 (Kvs 1.3-1.6)	3	1	23.36	A
187310	LK Insulation, 551 (Kvs 3.2-4.2) / 552	3	1	23.09	A

Valve Combination

LK 551 HydroKit Solar

LK 551 HydroKit Solar - with connection kit



Article no.	Dim.	Kvs m³/h	Note	Weight kg	Package	Price (GBP)	ABC
181588	M ¾"	1,6		1.6	1/6	390.23	B
182292	M ¾"	1,6	Insulation included	1.7	1/4	422.92	A
182782	M ¾"	2,5		1.7	1	446.57	B
182294	M ¾"	2,5	Insulation included	1.7	1/4	477.00	A
182783	M ¾"	3,5		2.5	1	505.82	B
182674	M ¾"	3,5	Insulation included	2.5	1	525.78	B


Connection kit included: contains nuts, gaskets, fittings (5 pcs of each) check valves (2 pcs).

LK 551 HydroKit Solar - Male thread



Article no.	Dim.	Kvs m³/h	Note	Weight kg	Package	Price (GBP)	ABC
181690	M 1"	1,6		1.6	1/6	285.85	A
182293	M 1"	1,6	Insulation included	1.7	1	328.56	A
182784	M 1"	2,5		1.7	1	344.67	B
182295	M 1"	2,5	Insulation included	1.7	1	374.57	A
182785	M 1"	3,5		1.9	1	407.06	B
182427	M 1"	3,5	Insulation included	1.9	1	428.01	B

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
095234	Repair kit 551, 35 - 65 °C (Kvs 1.6)	1	1	58.82	A
095075	Repair kit 551 F, 42 - 52 °C. Kvs 1.6	1	1	74.53	A
095350	Repair kit 551, 35 - 65 °C, Kvs 3.2-4.2	1	1	62.63	A
095444	Repair kit 551 F, 42 - 52 °C. Kvs 3,5	1	1	68.93	A
095389	Connection kit M ¾" x 1" with rotating nut, gaskets, 2 check valves	2	1	103.83	A
095390	LK Insulation (Kvs 1.6 - 2.5)	3	1	36.29	A
095459	LK Insulation (Kvs 3.5)	3	1	30.90	A

Hot Water Circulation Unit

LK 551 HydroKit HWC


LK 551 HydroKit HWC - with connection kit



Article no.	Dim.	Kvs m³/h	Note	Weight kg	Package	Price (GBP)	ABC
091782	M ¾"	1,6	35 - 65 °C	1.4	1/6	284.23	A
182430	M ¾"	3,5	35 - 65 °C *	1.8	1	362.59	A

* Material, valve body: EN 12165 CW617N

Spare parts and Accessories




Article no.	Article	Position	Package	Price (GBP)	ABC
095234	Repair kit 551, 35 - 65 °C (Kvs 1.6)	1	1	58.82	A
095350	Repair kit 551, 35 - 65 °C, Kvs 3.2-4.2	1	1	62.63	A
092325	Fitting	2	1	51.22	B
092329	LK CirculationKit HWC, Kvs 1.6	3	1	413.07	A
092357	LK CirculationKit HWC, Kvs 3,5	3	1	435.34	A
187305	LK Insulation HWC (Kvs 1.6)	4	1	29.12	A
095460	LK Insulation HWC (Kvs 3.5)	4	1	38.87	A
095388	Connection kit M ¾" x 1" with rotating nut, gaskets, 2 check valves	5	1	99.64	A

Circulation Kit

LK 551 HWC CirculationKit

LK 551 HWC CirculationKit - Female thread



Article no.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
092329	1,6	2.1	1	413.07	A
092357	3,5	2.6	1	435.34	A

LK 551 HWC CirculationKit - Female thread



Article no.	Dim.	Weight kg	Package	Price (GBP)	ABC
095487	M 1" x F 1" x M ¾"	0.6	1	250.01	B

Mixing Valve

LK 552 HydroMix

LK 552 - Female thread




Article no.	Dim.	Kvs m³/h	Note	Weight kg	Package	Price (GBP)	ABC
182234	F ¾"	1,5	35 - 65 °C	0.6	1/12	106.28	B
182237	F ¾"	1,5	25 - 45 °C	0.6	1/12	101.84	B
182256	F 1"	3,5	35 - 65 °C	0.9	1/8	130.54	B
182260	F 1"	3,5	25 - 45 °C	0.9	1/8	131.59	B

LK 552 - Male thread



Article no.	Dim.	Kvs m³/h	Note	Weight kg	Package	Price (GBP)	ABC
182235	M ¾"	1,5	35 - 65 °C	0.5	1/12	107.53	A
182236	M 1"	1,5	35 - 65 °C	0.6	1/12	105.76	B
182238	M ¾"	1,5	25 - 45 °C	0.5	1/12	103.10	B
182239	M 1"	1,5	25 - 45 °C	0.6	1/12	100.85	B
182257	M 1"	3,5	35 - 65 °C	0.7	1/8	122.83	B
182258	M 1¼"	3,5	35 - 65 °C	0.8	1/8	128.76	B
182261	M 1"	3,5	25 - 45 °C	0.7	1/8	123.41	B
182262	M 1¼"	3,5	25 - 45 °C	0.8	1/8	129.75	B

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
095360	Repair kit 552, 25 - 45 °C	1	1	62.40	A
095361	Repair kit 552, 35 - 65 °C	1	1	66.83	A
095362	Repair kit 552, 25 - 45 °C (Kvs 3.5)	1	1	71.72	A
095363	Repair kit 552, 35 - 65 °C (Kvs 3.5)	1	1	70.67	A
092052	Connection kit M ¾" x 1" with rotating nut, gaskets, 1 check valve	2	1	59.66	A
092053	Connection kit M ¾" x 1" with rotating nut, gaskets, 2 check valves	2	1	62.82	A
092333	Connection kit M 1" x 1¼" with rotating nut, gaskets, 1 check valve	2	1	101.86	A
092334	Connection kit M 1" x 1¼" with rotating nut, gaskets, 2 check valves	2	1	108.10	A
187310	LK Insulation, 551 (Kvs 3.2-4.2) / 552	3	1	23.09	A

Shunt Group

LK 419 Manifold Shunt

LK 419 - Male thread



Article no.	Dim.	Kvs m³/h	Note	Weight kg	Package	Price (GBP)	ABC
299451	M 1"	3,5	25 - 45 °C	4.6	1	809.51	B
299792	M 1"	3,5	35 - 65 °C	4.6	1	810.81	A

Shunt Group

LK 420 MiniShunt 2.0

LK 420 - Compression fitting alt. Male thread / Female thread



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
299773	M ¾" EuroCone / F ½"	1,05	4.0	1	801.06	A

Dimension = Prim. / Sec. connection

Spare Parts and Accessories

1



2



Article no.	Article	Position	Package	Price (GBP)	ABC
095391	Thermostat with sensor	2	1	45.59	A
095442	Circulating pump Wilo PARA	1	1	387.97	A

Shunt Group

LK 421 Manifold Shunt


LK 421 - Female thread / Male thread



Article no.	Dim.	Weight kg	Package	Price (GBP)	ABC
298559	F ¾" / M 1"	4.6	1	875.69	A

Dimension = Prim. / Sec. connection

Spare Parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
095018	Thermometer T40, 0 - 80 °C	2	1	11.95	A
187172	Circulating pump Grundfos UPM3 Auto 15/70	1	1	419.95	A
095221	Bracket	3	1	39.51	A

Shunt Group


LK 422 Manifold Shunt Tmax

LK 422 - Female thread / Male thread



Article no.	Dim.	Kvs m³/h	Kvs2 m³/h	Weight kg	Package	Price (GBP)	ABC
2419498	F ¾" / M 1"	2,7	5,0	5.3	1	802.91	B

Spare Parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
187172	Circulating pump Grundfos UPM3 Auto 15/70	1	1	419.95	A
095018	Thermometer T40, 0 - 80 °C	2	1	11.95	A
095221	Bracket	3	1	39.51	A

Shunt Group

LK 423 MiniLoop RTC

LK 423 - Male thread



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
299355	¾" Eurocone	1,48	0.4	1	340.58	B

Spare parts and Accessories




Article no.	Article	Position	Package	Price (GBP)	ABC
095391	Thermostat with sensor	1	1	45.59	A
1882348	LK Frame/hatch	3	1	148.42	C
2988856	LK Installation cabinet RTB	2	1	213.90	C

Manifold

LK 430 Manifold

LK 430 - Female thread / Male thread



Article no.	Dim.	Dim. 2	Dim. 3	Kvs m³/h	Kvs2 m³/h	No. of circuits	Weight kg	Package	Price (GBP)	ABC
S297311	F 1"	M ¾" EuroCone	M ½"	1,1	2,5	2	2.8	1	377.22	B
S297312	F 1"	M ¾" EuroCone	M ½"	1,1	2,5	3	3.2	1	447.13	B
S297313	F 1"	M ¾" EuroCone	M ½"	1,1	2,5	4	3.6	1	515.11	B
S297314	F 1"	M ¾" EuroCone	M ½"	1,1	2,5	5	4.2	1	592.16	B
S297315	F 1"	M ¾" EuroCone	M ½"	1,1	2,5	6	4.7	1	668.58	B
S297316	F 1"	M ¾" EuroCone	M ½"	1,1	2,5	7	5.1	1	742.24	B
S297317	F 1"	M ¾" EuroCone	M ½"	1,1	2,5	8	5.7	1	815.12	B
S297318	F 1"	M ¾" EuroCone	M ½"	1,1	2,5	9	6.0	1	875.55	B
S297319	F 1"	M ¾" EuroCone	M ½"	1,1	2,5	10	6.5	1	949.38	B
S297320	F 1"	M ¾" EuroCone	M ½"	1,1	2,5	11	7.0	1	1018.12	B
S297321	F 1"	M ¾" EuroCone	M ½"	1,1	2,5	12	7.5	1	1091.95	B

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
095018	Thermometer T40, 0 - 80 °C	1	1	11.95	A
090275	LK 435 OptiFlow, 2-16 l/min	2	1	108.85	A
090276	LK 435 OptiFlow, 4-36 l/min	2	1	108.49	A
095182	Drainage valve	3	1	16.55	A
095178	Return valve	4	1	24.45	A
095346	Adjustment valve, supply	5	1	19.90	A

Flow Adjustment Valve


LK 435 OptiFlow

LK 435 - Male thread / Female thread



Article no.	Dim.	Kvs m ³ /h	Flow range	Weight kg	Package	Price (GBP)	ABC
090275	Adjustment valve - M 1" / F 1"	3,5	2-16 l/min	0.5	1/10	108.85	A
090276	Adjustment valve - M 1" / F 1"	4,5	4-36 l/min	0.5	1/10	108.49	A

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
095222	Threaded union part straight M 1" with rotating nut	1	1	23.46	A
095223	Threaded union part angle M 1" with rotating nut	2	1	30.54	A
095018	Thermometer T40, 0 - 80 °C	3	1	11.95	A

Portable Boiler

LK 440 EasyHeat

LK 440 - Female thread



Article no.	Dim.	Connection	Voltage	Safety thermostat	Weight kg	Package	Price (GBP)	ABC
298470	F 1"	3-phase 400 V Boiler must be protected using 3 x 16 A fuses (max. current 13.5 A)	9 kW in two stages at 4.5 kW	80 °C	30,0	1	3989.44	A
298588	F 1"	1-phase 230V Boiler must be protected using 8,5 A 2 kW, 13 A 3 kW	2 alt. 3 kW	80 °C	30,0	1	3958.47	A

Portable Boiler

LK 450 EasyHeat P

LK 450 EasyHeat P - Female thread - 9 kW



Article no.	Dim.	Voltage	Weight kg	Package	Price (GBP)	ABC
299529	F 1"	400 V	<25kg	1	5891.77	A

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
187354	Wilo Para 15/6 - Composite	1	1	307.69	A
187352	Transport trolley	2	1	276.56	A
187353	2 pcs. flexible hoses 1" F x 1" M, 1,5 m	3	1	229.83	A
092320	LK 321 MultiFill®	4	1	101.38	A
182437	LK 522 FilterBall Magnet	5	1	115.27	B

Portable Boiler

LK 450 EasyHeat M

LK 450 EasyHeat M - Female thread - 3 kW



Article no.	Connection	Voltage	Weight kg	Package	Price (GBP)	ABC
299742	F 1"	230 V	<25	1	4500.66	A

LK 450 EasyHeat M - Female thread - 9 kW



Article no.	Connection	Voltage	Weight kg	Package	Price (GBP)	ABC
299748	F 1"	400 V	<25	1	4723.88	A

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
187354	Wilo Para 15/6 - Composite	1	1	307.69	A
187352	Transport trolley	2	1	276.56	A
187353	2 pcs. flexible hoses 1" F x 1" M, 1,5 m	3	1	229.83	A
092320	LK 321 MultiFill®	4	1	101.38	A
182437	LK 522 FilterBall Magnet	5	1	115.27	B

Ball Valve

LK 315 BallValve

LK 315 - Female thread



Article no.	Dim.	Weight kg	Package	Price (GBP)	ABC
055840	F 2", rotating nut / F 1½"	0.9	1	116.88	A

LK 315 - Female thread / Male thread




Article no.	Dim.	Weight kg	Package	Price (GBP)	ABC
055841	F 2", rotating nut / M 2"	1.2	1	146.85	C

LK 315 - Female thread



Article no.	Dim.	Weight kg	Package	Price (GBP)	ABC
055842	F 2", rotating nut / F 2"	1.0	1	140.08	C

Spare Parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
180352	Thermometer 120 °C	1	1	10.79	A

Valve Combination

LK 322 CoolUnit

LK 322 - Male thread



Article no.	Dim.	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
092366	G 1"	9,5	1.6	1	170.93	A
092367	G 1¼"	16	1.7	1	161.81	A

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
095072	LK Insulation, 521 DN 25-32	1	1	17.01	A
299189	Flanged pipe - 22 mm, F 1", L=120 mm	2	1	20.26	B
299190	Flanged pipe - 28 mm, F 1¼", L=120 mm	2	1	24.14	B
299387	LK HydronicGroup C/C 90 Cooling	3	1	836.23	B
396425	LK HydronicGroup C/C 125 Cooling	4	1	POA	B

Cyclone Filter

LK 360 NetMag

LK 360 - Female thread



Article no.	Dim.	DN	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
50801619	F ¾"	20	6,81	1.2	1	299.61	A
50801620	F 1"	25	7,51	1.3	1	321.39	A
50801621	F 1¼"	32	7,51	1.3	1	337.88	A

LK 360 - Compression Fitting



Article no.	Dim.	Kvs m ³ /h	Weight kg	Package	Price (GBP)	ABC
50802032	22 mm	6,81	1.2	1	322.71	A
50802033	28 mm	7,51	1.3	1	341.18	A

Spare parts and Accessories

1.



2.



Article no.	Article	Position	Package	Price (GBP)	ABC
095501	Insulation	1	1	322.71	B
095500	Magnet	2	1	341.18	B

Safety Valve

LK 519 ThermoSafe

LK 519 - Female thread



Article no.	Dim.	Weight kg	Package	Price (GBP)	ABC
091777	F 3/4" / M 1/2"	0.7	1/16	179.67	A

Filter Ball Valve

LK 522 FilterBall

LK 522 - Female thread



Article no.	Dim.	Kvs m ³ /h	Note	Weight kg	Package	Price (GBP)	ABC
182015	F ¾"	7,5	Mesh opening filter: 0.7 mm	0.3	1/24	52.56	A
182016	F 1"	11,0	Mesh opening filter: 0.7 mm	0.5	1/8	83.12	A
182017	F 1¼"	20,0	Mesh opening filter: 0.7 mm	0.9	1/6	114.54	A
182018	F 1½"	33,0	Mesh opening filter: 0.7 mm	1.3	1/4	161.77	A
182019	F 2"	55,0	Mesh opening filter: 0.7 mm	2.1	1/4	242.76	A

LK 522 - Male thread



Article no.	Dim.	Kvs m ³ /h	Note	Weight kg	Package	Price (GBP)	ABC
182432	M ¾"	5,0	Mesh opening filter: 0.7 mm	0.4	1	66.11	B
182433	M 1"	10,0	Mesh opening filter: 0.7 mm	0.6	1	101.07	B

LK 522 without handle - Female thread




Article no.	Dim.	Kvs m ³ /h	Note	Weight kg	Package	Price (GBP)	ABC
182337	F ¾"	5,0	Mesh opening filter: 0.5 mm	0.3	1	57.63	B
182338	F 1"	10,0	Mesh opening filter: 0.5 mm	0.5	1	83.22	B
182339	F 1¼"	17,0	Mesh opening filter: 0.5 mm	0.9	1	126.13	B
182340	F 1½"	19,0	Mesh opening filter: 0.5 mm	1.3	1	162.86	B
182341	F 2"	21,0	Mesh opening filter: 0.5 mm	2.1	1	244.29	B

LK 522 without handle - Male thread



Article no.	Dim.	Kvs m ³ /h	Note	Weight kg	Package	Price (GBP)	ABC
182434	M ¾"	5,0	Mesh opening filter: 0.5 mm	0.4	1/24	63.94	B
182435	M 1"	10,0	Mesh opening filter: 0.5 mm	0.6	1/24	97.17	B

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
095414	Filter ¾", Mesh opening: 0.7 mm	1	1	4.64	A
095415	Filter 1", Mesh opening: 0.7 mm	1	1	4.77	A
095416	Filter 1¼", Mesh opening: 0.7 mm	1	1	5.03	A
095417	Filter 1½", Mesh opening: 0.7 mm	1	1	5.33	A
095418	Filter 2", Mesh opening: 0.7 mm	1	1	6.32	A
095419	Filter ¾", Mesh opening: 0.5 mm	1	1	5.95	A
095420	Filter 1", Mesh opening: 0.5 mm	1	1	5.72	A
095421	Filter 1¼", Mesh opening: 0.5 mm	1	1	7.84	A
095422	Filter 1½", Mesh opening: 0.5 mm	1	1	9.38	A
095423	Filter 2", Mesh opening: 0.5 mm	1	1	11.54	A
095425	Locking ring / Clip ¾"	2	1	3.22	A
095426	Locking ring / Clip 1"	2	1	3.48	A
095427	Locking ring / Clip 1¼"	2	1	3.50	A
095428	Locking ring / Clip 1½"	2	1	3.67	A
095429	Locking ring / Clip 2"	2	1	3.80	A
095437	Cover & O-ring ¾"	3	1	5.88	A
095438	Cover & O-ring 1"	3	1	7.00	A
095439	Cover & O-ring 1¼"	3	1	9.80	A
095440	Cover & O-ring 1½"	3	1	12.81	A
095441	Cover & O-ring 2"	3	1	17.12	A

Filter Ball Valve with Magnet

LK 522 FilterBall Magnet

LK 522 Magnet - Female thread



Article no.	Dim.	Kvs m³/h	Note	Weight kg	Package	Price (GBP)	ABC
182274	F ¾"	5,0	Mesh opening filter: 0.7 mm	0.3	1/24	61.80	A
182275	F 1"	10,0	Mesh opening filter: 0.7 mm	0.5	1/8	96.10	A
182276	F 1¼"	17,0	Mesh opening filter: 0.7 mm	0.9	1/6	127.83	A
182277	F 1½"	31,0	Mesh opening filter: 0.7 mm	1.3	1/4	190.82	A
182278	F 2"	43,0	Mesh opening filter: 0.7 mm	2.1	1/4	276.24	A

LK 522 Magnet - Male thread



Article no.	Dim.	Kvs m³/h	Note	Weight kg	Package	Price (GBP)	ABC
182436	M ¾"	4,5	Mesh opening filter: 0.7 mm	0.4	1/24	76.51	B
182437	M 1"	9,0	Mesh opening filter: 0.7 mm	0.6	1	115.27	B

LK 522 Magnet, without handle - Female thread




Article no.	Dim.	Kvs m³/h	Note	Weight kg	Package	Price (GBP)	ABC
182342	F ¾"	4,5	Mesh opening filter: 0.5 mm	0.3	1	66.83	B
182343	F 1"	9,0	Mesh opening filter: 0.5 mm	0.5	1	95.74	A
182344	F 1¼"	16,0	Mesh opening filter: 0.5 mm	0.9	1	140.03	B
182345	F 1½"	19,0	Mesh opening filter: 0.5 mm	1.3	1	178.75	B
182346	F 2"	21,0	Mesh opening filter: 0.5 mm	2.1	1	269.87	B

LK 522 Magnet, without handle - Male thread



Article no.	Dim.	Kvs m³/h	Note	Weight kg	Package	Price (GBP)	ABC
182438	M ¾"	4,5	Mesh opening filter: 0.5 mm	0.4	1	74.34	B
182439	M 1"	9,0	Mesh opening filter: 0.5 mm	0.6	1	111.36	B

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
095355	522 ¾" Magnet, Spring	1	1	33.54	A
095356	522 1" Magnet, Spring	1	1	37.33	A
095357	522 1¼" Magnet, Spring	1	1	38.24	A
095358	522 1½" Magnet, Spring	1	1	39.90	A
095359	522 2" Magnet, Spring	1	1	49.03	A
095414	Filter ¾", Mesh opening: 0.7 mm	2	1	4.64	A
095415	Filter 1", Mesh opening: 0.7 mm	2	1	4.77	A
095416	Filter 1¼", Mesh opening: 0.7 mm	2	1	5.03	A
095417	Filter 1½", Mesh opening: 0.7 mm	2	1	5.33	A
095418	Filter 2", Mesh opening: 0.7 mm	2	1	6.32	A
095419	Filter ¾", Mesh opening: 0.5 mm	2	1	5.95	A
095420	Filter 1", Mesh opening: 0.5 mm	2	1	5.72	A
095421	Filter 1¼", Mesh opening: 0.5 mm	2	1	7.84	A
095422	Filter 1½", Mesh opening: 0.5 mm	2	1	9.38	A
095423	Filter 2", Mesh opening: 0.5 mm	2	1	11.54	A
095437	Cover & O-ring ¾"	3	1	5.88	A
095438	Cover & O-ring 1"	3	1	7.00	A
095439	Cover & O-ring 1¼"	3	1	9.80	A
095440	Cover & O-ring 1½"	3	1	12.81	A
095441	Cover & O-ring 2"	3	1	17.12	A

Safety Valve

LK 556 AntiFreeze

LK 556 - Male thread



Article no.	Opening temp.	Dim.	DN	Kvs m³/h	Weight kg	Package	Price (GBP)	ABC
182740	3 °C	M 1"	25	55	0.35	1	93.02	A
182741	3 °C	M 1¼"	32	70	0.4	1	94.78	B

LKRK - Compression fitting




Article no.	Dim.	Weight kg	Package	Price (GBP)	ABC
1884782	22 x G25	0.14	1	13.86	B
1884418	28 x G28	0.12	1	17.99	B
1884436	32 x G32	0.10	1	22.75	B

LK 556 Kit - incl. 2 x LK 556 and insulation



Article no.	Note	Weight kg	Package	Price (GBP)	ABC
182776	Contains 2 pieces 182740 and 2 pieces 187109	0.8	1	218.98	B
182777	Contains 2 pieces 182741 and 2 pieces 187109	0.9	1	221.96	B

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
187109	Insulation, DN 25-32	1	1	20.25	A
013010	Gasket Klingersil C4430 M32	2	1	1.07	C
013016	Gasket Klingersil C4430 M25	2	1	0.76	C
299189	Flanged pipe - 22 mm, F 1", L=120 mm	3	1	20.26	B
299190	Flanged pipe - 28 mm, F 1¼", L=120 mm	3	1	24.14	B
095380	Connection kit M ¾" x F 1"	4	1	17.91	A
095381	Connection kit F 1" x M 1¼"	4	1	53.71	A

Air Vent Valve

LK 700/705 AeroMat

LK 700 - Male thread



Article no.	Dim.	Note	Weight kg	Package	Price (GBP)	ABC
094107	M 3/8"	without shut-off valve	0.4	1	159.92	A
4845228	M 3/8"	with shut-off valve	0.5	1	180.42	A

LK 705 - Female thread



Article no.	Dim.	Note	Weight kg	Package	Price (GBP)	ABC
4845244	F 3/8"	with shut-off valve	0.5	1	270.70	A

Air Vent Valve

LK 770 AeroSafe

LK 770 - Male Thread



Article no.	Kvs m³/h	Connection	Weight kg	Package	Price (GBP)	ABC
182803	20	M 1¼"	0,9	1	177.71	B

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
187965	770 Float spare parts kit	1	1	22.35	B
187967	770 Clips	2	1	9.93	B
187966	770 O-rings	3	1	10.05	B

Safety Group

LK 924 / 925 SafetyGroup

LK 924 - Female Thread



Article no.	Dim.	Opening pressure	Weight kg	Package	Price (GBP)	ABC
092309	F ¾"	0,3 MPa	0.6	1/10	108.98	A

LK 924 - Male thread



Article no.	Dim.	Opening pressure	Weight kg	Package	Price (GBP)	ABC
092310	M 1"	0,3 MPa	0.6	1/10	114.87	A

LK 925 - Female thread




Article no.	Dim.	Opening pressure	Weight kg	Package	Price (GBP)	ABC
092307	F ¾"	0,3 MPa	0.5	1/10	101.25	A

LK 925 - Male thread



Article no.	Dim.	Opening pressure	Weight kg	Package	Price (GBP)	ABC
092308	M 1"	0,3 MPa	0.5	1/10	102.07	B

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
095279	Manometer 50-4 bar M ¼"	4	1	22.38	A
095492	750 G10 Ventilating valve	2	1	18.68	B
095491	Safety relief valve 0.3 MPa	1	1	29.54	A
095497	740-G10 Floating air vent	3	1	29.82	A
095493	Plug ¼"	5	1	9.58	B

SafetyGroup

LK 994 SafetyGroup

LK 994 - Male thread



Article no.	Dim.	Connection	Opening pressure	Discharge capacity	Weight kg	Package	Price (GBP)	ABC
092371	M 3/4"	3/4"	0,3 MPa	89 kW	0.9	1	164.21	A
092377	M 3/4"	3/4"	0,25 MPa	89 kW	0.9	1	167.10	A

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
095279	Manometer 50-4 bar M 1/4"	1	1	22.38	A
095498	Drainage valve 1/4"	4	1	11.15	A
095491	Safety relief valve 0.3 MPa	2	1	29.54	A
095497	740-G10 Floating air vent	3	1	29.82	A
095511	Shut-off valve f/m 3/4"	5	1	38.75	C

Fittings

LK MultiConnection

LK 931 - Male / Female / Rotating nut



Article no.	Dim.	Weight kg	Package	Price (GBP)	ABC
090090	M 3/4" x F 1/2" x F 3/4" rotating nuts x 2	0.2	1	25.47	A

LK 932 - Male / Rotating nut



Article no.	Dim.	Weight kg	Package	Price (GBP)	ABC
090091	M ¾" x F ¾" rotating nut	0.2	1	23.97	A

LK 933 - Male / Female / Rotating nut



Article no.	Dim.	Weight kg	Package	Price (GBP)	ABC
090092	M ¾" x F ¾" x F ¾" rotating nut	0.2	1	13.10	A

LK 935 - Male / Rotating nut




Article no.	Dim.	Weight kg	Package	Price (GBP)	ABC
090257	M 1" x M 1" x F 1" rotating nut	0.2	1	36.78	A

LK 936 - Female / Male / Rotating nut



Article no.	Dim.	Weight kg	Package	Price (GBP)	ABC
090258	F 1½" x M ¾" x F ¾" rotating nut	0.2	1	28.95	A

Spare parts and Accessories




Article no.	Article	Position	Package	Price (GBP)	ABC
013035	Gasket C4400 1"	1	1	0.79	A
013032	Gasket C4400 ¾"	2	1	0.44	A
012018	O-ring for M ¾"	3	1	0.46	A

Transition Fittings


Transition Fittings

Female thread / Rotating nut




Article no.	Dim.	Weight kg	Package	Price (GBP)	ABC
095364	F 3/8" x F 3/4"	0.07	1	25.21	B
095365	F 1/2" x F 1"	0.10	1	18.64	B
095366	F 3/4" x F 1 1/4"	0.15	1	55.03	A
095367	F 1" x F 1 1/2"	0.17	1	53.94	B
095368	F 1 1/4" x F 2"	0.35	1	77.56	B
095369	F 1 1/2" x F 2 1/4"	0.50	1	117.37	B

Male thread / Rotating nut



Article no.	Dim.	Weight kg	Package	Price (GBP)	ABC
095379	M 1/2" x F 3/4"	0.08	1	13.66	B
095380	M 3/4" x F 1"	0.07	1	17.91	A
095381	M 1" x F 1 1/4"	0.01	1	53.71	A
095382	M 1 1/4" x F 1 1/2"	0.02	1	47.41	A
095383	M 1 1/2" x F 2"	0.02	1	76.57	A

Internal solder / Rotating nut



Article no.	Dim.	Weight kg	Package	Price (GBP)	ABC
095371	15 mm x F 3/4"	0.02	1	13.92	B
095372	18 mm x F 3/4"	0.03	1	19.73	A
095373	18 mm x F 1"	0.04	1	25.85	B
095374	22 mm x F 1"	0.06	1	14.92	B
095375	28 mm x F 1 1/4"	0.08	1	36.62	B
095376	35 mm x F 1 1/2"	0.07	1	38.50	B
095377	42 mm x F 2"	0.02	1	89.31	B
095378	54 mm x F 2 1/2"	0.02	1	162.83	B

Internal solder / Male thread



Article no.	Dim.	Weight kg	Package	Price (GBP)	ABC
2008134	15 mm x F 1/2"	0.03	1/10/100	4.75	C
2008217	18 mm x F 3/4"	0.06	1/10/100	8.12	C
2008241	22 mm x F 3/4"	0.05	1/10/100	7.86	C
2008258	22 mm x F 1"	0.06	1/10/100	10.30	C
2008282	28 mm x F 3/4"	0.1	1/10/100	14.45	C
2008290	28 mm x F 1"	0.1	1/10/100	10.63	C
2008332	35 mm x F 1 1/4"	0.1	1/10/100	10.96	C
2008381	42 mm x F 1 1/2"	0.2	1/10/100	22.11	C
2008423	54 mm x F 2"	0.3	1/10/100	48.97	C

Prefabricated Pipes


Prefabricated pipes

Flanged stainless pipe - for use between flat sealing connection to compression/pressfitting etc.




Article no.	Dim.	Dim. 2	Length	Weight kg	Package	Price (GBP)	ABC
299103	Pipe 15 mm	Rotating nut F 20	L=120 mm	0.09	1	11.91	B
299104	Pipe 18 mm	Rotating nut F 20	L=120 mm	0.09	1	12.01	B
299105	Pipe 22 mm	Rotating nut F 25	L=120 mm	0.12	1	13.47	B
299106	Pipe 28 mm	Rotating nut F 32	L=120 mm	0.17	1	26.26	B
299107	Pipe 28 mm	Rotating nut F 40	L=120 mm	0.22	1	28.07	B

Flanged copper pipe - for use between flat sealing connection to compression/pressfitting etc.



Article no.	Dim.	Dim. 2	Length	Weight kg	Package	Price (GBP)	ABC
299187	Pipe 15 mm	Rotating nut F 20	L=120 mm	0.09	1	14.01	B
299188	Pipe 18 mm	Rotating nut F 20	L=120 mm	0.09	1	21.25	B
299189	Pipe 22 mm	Rotating nut F 25	L=120 mm	0.12	1	20.26	B
299190	Pipe 28 mm	Rotating nut F 32	L=120 mm	0.17	1	24.14	B
299191	Pipe 28 mm	Rotating nut F 40	L=120 mm	0.22	1	26.21	B

Flanged copper pipe - for use between flat sealing connection



Article no.	Dim.	Dim. 2	Length	Weight kg	Package	Price (GBP)	ABC
298972	Pipe 22 x 1	Rotating nut F 25	L=21 mm	0.1	1	18.43	B
298992	Pipe 18 x 1	Rotating nut F 20	L=20 mm	0.08	1	11.87	B
298993	Pipe 28 x 1.2	Rotating nut F 32	L=20 mm	0.14	1	23.32	B
S180810	Pipe 35 x 1.5	Rotating nut F 40	L=30 mm	0.16	1	27.78	C

Spare parts and Accessories



Article no.	Article	Position	Package	Price (GBP)	ABC
013012	Gasket Klingersil C4430 M20	1	1	0.57	A
013016	Gasket Klingersil C4430 M25	1	1	0.76	C
013010	Gasket Klingersil C4430 M32	1	1	1.07	C
013015	Gasket Klingersil C4430 M40	1	1	1.69	A

0800 246 1260
www.firepower.co.uk
sales@firepower.co.uk

Flightway
Dunkeswell Business Park
Dunkeswell
Honiton Devon
EX14 4RD

FOR THE SIMPLER. SMARTER EVERYDAY

Simpler. Smarter. More sustainable. At LK, we believe there's a better way to do everything. It's a belief all of us at LK apply to every product and solution we create – from water, heating and hydronic solutions to pipe extrusion.

LK Armatur is a leader in Europe, producing millions of valves per year for the global HVAC market. Beyond individual products, we understand how all parts interact in your complete application. From standard to sophisticated customizations of valves, controllers, components and prefabricated units, our full-spectrum expertise makes it easy to get the results you need today, while anticipating your needs tomorrow.



Firepower